


# ThinkSmart Devices + Avocor Displays

Lenovo ThinkSmart and Avocor are two of world's leading brands known for delivering best-in-class technology. Combined, they create powerful enterprise solutions that enable true modern collaboration.

When paired with ThinkSmart devices, Avocor interactive touchscreen displays help teams collaborate more effectively, quickly solve challenges, and share ideas across the table or across the globe. These pixel-perfect touchscreen displays include useful features such as an integrated soundbar with microphone array and a host of connectivity options.

Together, ThinkSmart's meeting room systems and Avocor's range of display sizes can help you design the ideal environment for collaboration in any size space.



Smarter  
technology  
for all

Lenovo

## ThinkSmart Devices + Avocor Displays



### BETTER TOGETHER

Lenovo ThinkSmart collaboration devices open up new possibilities for bringing people and ideas together across meeting spaces and organizations of all sizes. Still, these devices become even more powerful when paired with Avocor's 4K interactive displays, allowing teams to more effectively collaborate, capture ideas, and solve challenges using technology.



### INTUITIVE COLLABORATION

Users can capture the flow of ideas through a superior writing experience that is incredibly fast, yet accurate. The latest generation InGlass™ touch technology used in Avocor displays supports up to four passive pens and 20 points of simultaneous, collaborative touch. Choose the fine-tip pen stylus for accurate writing and annotations on the display. Or leverage object recognition technology to transition fluidly between using a pen, a finger, or your palm.



### BEAUTIFUL AND DURABLE

Viewers will be inspired by the immersive visual experience made possible by Avocor's ultra-lightweight LED display technology with 4K screen resolution. The 2mm optically bonded glass increases contrast ratio and brightness, further enhancing visibility. With no parallax gap between the glass and the display, Avocor is able to deliver incredible clarity and viewability in a highly durable display that is protected from dust, dirt, and moisture.



### INTEGRATED AUDIO

No matter the room size, users will enjoy a superior audio experience thanks to the high-performing, front-facing soundbar module and active microphone array built into each Avocor display. Users can connect with third-party UC-based software to create an immersive audio environment for conference calls that sound as if everyone is right there in the room.



## multiple connectivity options


Avocor displays offer a wide range of connectivity options including multiple HDMI 2.0, HDMI Out, and RS-232 for room control.

## share content easily

The Advanced Connect and Control toolbar at the front of the display features a Wireless Sharing button.

## optimized for Windows 10

Avocor displays include a built-in Windows swipe bar that delivers a tablet-like experience on a large format display.



## E SERIES SPECIFICATIONS

### display

**BACKLIGHT**

Direct LED

**ASPECT RATIO**

16:9

**RESOLUTION**

3840 x 2160 @ 60Hz

**RESPONSE TIME**

8 ms

**BRIGHTNESS**

370 (cd/m<sup>2</sup>)

**CONTRAST RATIO**

4000:1

**VIEWING ANGLE**

178° / 178°

**SUPPORTED COLORS**

30-bit deep color

**DISPLAY ORIENTATION**

Landscape

### touch system

**TOUCH**

Up to 20 touch points of Avocor InGlass™ Intelligent Touch

**GLASS**

2mm optically bonded, anti-glare, anti-fingerprint glass

**SUPPORTED OPERATING SYSTEM**

Windows 7/8/10  
Mac OSX\*; Linux\*

### audio

**BUILT-IN SPEAKERS**

2 x 10W forward-facing

### connectivity

**SIDE INPUTS**

2 x HDMI 2.0  
1 x DisplayPort 1.2  
1 x VGA  
1 x LAN in ethernet (RJ-45)  
2 x Touch Input USB-B 2.0  
IR Input

**AUDIO**

1 x 3.5 mm audio out  
1 x optical (SPDIF)  
1 x 3.5mm audio in

**CONTROL**

1 x RS-232

**OPS SLOT**

Yes, 3840 x 2160 @ 60Hz

### display & remote control functions

**AUTO SOURCE DETECT**

Yes

**FREEZE FRAME**

Yes

**BLANK OUT**

Yes

**OSD KEY LOCK FUNCTION**

Yes

### power

**POWER SUPPLY**

AC100-240V (Worldwide), 50/60Hz

**MAXIMUM POWER CONSUMPTION**

Varies each display

**STANDBY**

≤0.5W

### environmental

**OPERATING TEMPERATURE**

0°C—40°C

**STORAGE TEMPERATURE**

-20°C—60°C

**HUMIDITY**

20%—80%

### what comes in the box

1 x remote control & batteries  
1 x 3mm & 1 x 6mm passive touch pens  
1 x US power cord  
1 x USB A-B cable (3m/118.1 in)  
2 x HDMI cable (3m/118.1 in)  
1 x Quick Start Guide  
1 x eraser  
1 x pen holder  
1 x cloth

### warranty

Terms and conditions vary via region. Please visit [www.avocor.com/faq/avocor-global-warranty](http://www.avocor.com/faq/avocor-global-warranty)

\*Please note up to 20-point touch in PC mode with Windows 8/10, Mac OSX and Linux only supports single touch.

### E-55

**PRODUCT DIMENSIONS**

1286 x 802 x 78.4 mm/50.6 x 31.6 x 3.1 in  
Diagonal size: 55 in

**WEIGHT**

Net: 32.5 kg/71.65 lbs  
Gross: 44.5 kg/98.11 lbs

**MOUNT**

VESA 400 x 400 mm/15.75 x 15.75 in

### E-65

**PRODUCT DIMENSIONS**

1546 x 944 x 90.4 mm/60.87 x 37.17 x 3.56 in  
Diagonal size: 65 in

**WEIGHT**

Net: 38.1 kg/83.9 lbs  
Gross: 50.5 kg/111.33 lbs

**MOUNT**

VESA 600 x 400 mm/23.62 x 15.75 in

### E-75

**PRODUCT DIMENSIONS**

1770 x 1071.1 x 104.1 mm/69.70 x 42.17 x 4.10 in  
Diagonal size: 75 in

**WEIGHT**

Net: 49.5 kg/109.2 lbs  
Gross: 65 kg/143.5 lbs

**MOUNT**

VESA 800 x 400 mm/31.50 x 15.75 in

### E-86

**PRODUCT DIMENSIONS**


2017.7 x 1211.3 x 104 mm/79.48 x 47.69 x 4.10 in  
Diagonal size: 86 in

**WEIGHT**

Net: 62.8 kg/138.45 lbs  
Gross: 80.8 kg/178.13 lbs

**MOUNT**

VESA 800 x 400 mm/31.50 x 15.75 in



## F SERIES SPECIFICATIONS

### display

**BACKLIGHT**

Direct LED

**ASPECT RATIO**

16:9

**RESOLUTION**

3840 x 2160 @ 60Hz

**RESPONSE TIME**

8 ms

**BRIGHTNESS**

370 (cd/m<sup>2</sup>)

**CONTRAST RATIO**

4000:1

**VIEWING ANGLE**

178° / 178°

**SUPPORTED COLORS**

30-bit deep color

**DISPLAY ORIENTATION**

Landscape

### touch system

**INTERFACE**

3 x USB-B 2.0, 1 x USB-B 3.0

**TOUCH**

Up to 20 touch points of Avocor InGlass™ Intelligent Touch  
Supports 4 fine-tip pens

**GLASS**

2mm optically bonded, anti-glare, anti-fingerprint glass

**SUPPORTED OPERATING SYSTEM**

Windows 7/8/10  
Mac OSX\*; Linux\*

### audio

**BUILT-IN SPEAKERS**

4Ω/2 x 15W forward-facing; each module 4 x 32mm drivers; 2 passive

**MICROPHONE ARRAY**

Yes, 4 microphones 5m reach

### connectivity

**STANDARD IO**

3 x HDMI 2.0, 1 x HDMI 2.0 for dedicated wireless sharing device

1 x Display Port 1.2a  
1 x VGA  
2 x USB-A Hub 3.0\*\*  
1 x USB-A OPS 3.0  
1 x HDMI Out  
1 x USB service port

**GUEST IO**

1 x HDMI 2.0  
1 x USB-B Touch  
1 x USB-A 2.0 Hub  
1 x USB-A 2.0 OPS

**AUDIO**

1 x 3.5 mm audio out  
1 x 3.5 mm audio in  
1 x optical (SPDIF)

**CONTROL**

1 x RS-232  
1 x LAN in Ethernet (RJ-45)

**OPS SLOT**

Yes, 3840 x 2160 @ 60Hz

### display & remote control functions

**AUTO SOURCE DETECT**

Yes

**FREEZE FRAME**

Yes

**BLANK OUT**

Yes

**LIGHT SETTINGS**

5 x User/Vivid/Cinema/Game/Sports

### power

**POWER SUPPLY**

AC100-240V (Worldwide), 50/60Hz

**MAXIMUM POWER CONSUMPTION**

AVF-6550 <220W  
AVF-7550 <300W  
AVF-8650 <300W

**STANDBY**

≤0.5W

### environmental

**OPERATING TEMPERATURE**

0°C—40°C

**STORAGE TEMPERATURE**

-20°C—60°C

**HUMIDITY**

20%—85%

### what comes in the box

1 x remote control & batteries  
2 x 3mm fine-tip passive touch pen  
1 x UK, 1 x EU, 1 x US power cord  
1 x USB cable (3m/118.1 in)  
1 x HDMI cable (3m/118.1 in)  
1 x Quick Start Guide

### warranty

Terms and conditions vary via region. Please visit [www.avocor.com/faq/avocor-global-warranty](http://www.avocor.com/faq/avocor-global-warranty)

\*Please note up to 20-point touch in PC mode with Windows 7/8/10, Mac OSX and Linux only supports single touch.

\*\* Touch input 1 only

### AVF-6550

**PRODUCT DIMENSIONS**

1568 x 991.1 x 95 mm/61.7 x 39 x 3.75 in  
Diagonal size: 65 in

**WEIGHT**

Net: 46.5 kg/102.51 lbs; Gross: 58.5 kg/128.97 lbs

**MOUNT**

VESA 600 x 400 mm/23.62 x 15.72 in  
IPC 75 x 75 mm/2.95 x 2.95 in  
IPC 100 x 100 mm/3.93 x 3.93 in

### AVF-7550

**PRODUCT DIMENSIONS**

1791.8 x 1114.9 x 103.1 mm/70.5 x 43.8 x 4.05 in  
Diagonal size: 75 in

**WEIGHT**

Net: 60 kg/132.27 lb; Gross: 82.5 kg/181.9 lbs

**MOUNT**

VESA 800 x 400 mm/31.49 x 15.49 in  
IPC 75 x 75 mm/2.95 x 2.95 in  
IPC 100 x 100 mm/3.93 x 3.93 in

### AVF-8650

**PRODUCT DIMENSIONS**

2038 x 1246.9 x 102.8 mm/80.23 x 49 x 4.04 in  
Diagonal size: 86 in

**WEIGHT**

Net: 73.5 kg/162.05 lbs; Gross: 100 kg/220.46 lbs

**MOUNT**

VESA 800 x 400 mm/31.49 x 15.49 in  
IPC 75 x 75 mm/2.95 x 2.95 in  
IPC 100 x 100 mm/3.93 x 3.93 in

