


# ThinkVision S22e

## UPGRADE YOUR PRODUCTIVITY THE DISPLAY GETS A NEW LEVEL-UP

ThinkVision S22e-20, the 21.5-inch, FHD resolution, VA panel display, gives users the fine detail they need while working out the small print on long contracts or inputting data for long periods. With 3-side NearEdgeless design, more of the monitor is dedicated to the screen with bulky bezels trimmed down to the minimum, allowing you to create a cleaner experience on your people's workstations. Put two S22e-20 side-by-side and there's very little frame to obstruct the seamless expanded view. Staff can work side-by-side too. Or gather together around a desk to view the screen. S22e-20 is designed to play well with your existing IT equipment. With HDMI 1.4 or VGA options, you can choose how to connect PCs, laptops. And with Audio Out, your staff can plug in headphones while dropping movies into PowerPoint presentations without disturbing teammates. The monitor elevates its performance, as it sits higher on its stand than its previous generation. The stand also tilts to create even better angles conducive to each individual's work. Plus, with improved flexible cable management, it's much easier to tidy power cords off the desk and out of the way. And there's a bonus clutter-free feature here: Users will love the phone holder built into its stylish square base. Getting the right tools for staff also means managing their comfort and well-being. That's why S22e-20 has TÜV Rheinland Low Blue Light certification, meaning it cuts down harmful blue wavelengths that can lead to eye fatigue. And the model is with an ENERGY STAR rating of 8.0 and has achieved the Energy Start Most Efficient certification, you can be sure it's also working hard for your energy efficiency.



### FEATURES OF THINKVISION S22e-20 MONITOR




#### 3-side NearEdgeless viewing

A 21.5-inch, 1920 x 1080 full HD display delivers crisp, vivid images to improve your staff's view of critical work. All the focus is on-screen thanks to 3-side NearEdgeless form factor that minimizes bezels. 2-monitor multitasking flows easily from one screen to the next with barely any interruption from the frame that holds each one. While the VA panel delivers the same quality image to any angle up to an impressive 178° in any direction, making viewing with colleagues even better than before.



#### Next-level user experience

S22e-20 delivers vivid images in 72% NTSC color space at a brightness of 250 cd/m². Performing better and looking smarter, its style overhaul brings a modern touch to any office with a slimmed-down design and minimal square-shaped foot that forms the stable base of its stand. Look closer and you'll see a phone holder carved cleverly into that stylish base to de-clutter each employee's phone from their workspace while also holding it at the perfect viewing angle. What you won't see are cables trailing over the desk because an enhanced, more flexible cable management system makes it easier to hold cords tight to the stand, well out of the way. S22e-20 stands taller than its predecessor and tilting, to allow greater comfort and versatility for each user.



#### Uncompromising comfort, convenience and connectivity

Every aspect of the monitor has been revisited and reworked to deliver an elevated user experience that enhances productivity. To give your employees the best working conditions, S22e-20 uses TÜV Rheinland Low Blue Light certified technology that reduces the high-energy blue wavelengths that can cause eye strain. The result is a more comfortable viewing experience, even after long periods of crunching numbers. It also looks after your energy efficiency with its ENERGYSTAR 8.0 rating. As well as its ergonomic stand, the monitor can be placed on the wall for a completely clear workstation by using its 100 mm x 100 mm VESA wall mounting capability. And connecting to your fleet of computers and devices is instant and easy through HDMI 1.4 and VGA ports, as well as channeling sound out to headphones through Audio Out.

# ThinkVision S22e-20

## DISPLAY

### Panel Size

21.5-inch

### Screen Dimensions

484.50 mm x 284.40 mm

### Panel Type

3-side NearEdgeless, VA

### Active Area

476.06 mm x 267.79 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.2480 x 0.2480 mm

### Dot/Pixel Per Inch (DPI/PPI)

102

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode)

6ms (Normal Mode)

### Refresh Rate

75 Hz<sup>1</sup>

### Brightness (typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (typical)

3000:1

### Dynamic Contrast Ratio (typical)

3M:1

### Color Gamut

72% NTSC (CIE 1931)

### Color Support (typical)

16.7 Million

## CONNECTIVITY

### Video Signal

1 x HDMI 1.4

1 x VGA

### Audio Signal

1 x Audio Out (3.5 mm)

## SPECIAL FEATURE

### Sync Technology

AMD FreeSync™<sup>2</sup>

## MULTI-MEDIA

### Optional soundbar support

Yes (PN number: OA36190)

## POWER

### Power Consumption (typical/max)

15W / 19W

### Power Consumption Sleep/Off Mode

< 0.3W

### Power Consumption Switch-off Mode

< 0.3W

### Energystar Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)

15W /43 kWh

### Power Supply

Internal

### Voltage Required

AC 100 to 240 V (47—63 Hz)

## MECHANICAL

### Tilt Angle (front/back)

-5° / 22°

### VESA Mount Capability

Yes (100 x 100 mm)

### ThinkCentre M Series Tiny Support

Yes, by Tiny VESA mount II

(PN: 4XFON03161)

### ThinkCentre M Series Nano Support

Yes, by Nano VESA mount

(PN: 4XFOV81630)

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (side)

2.0 mm

### Bezel Width (top/bottom)

2.0/21.2 mm

## DIMENSIONS

### Size Packed (D x H x W, mm/inch)

140.0 x 352.0 x 587.0 mm

5.51 x 13.86 x 23.11 inches

### Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

173.1 x 405.1 x 489.3 mm

6.81 x 15.95 x 19.26 inches

### Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

173.1 x 405.1 x 489.3 mm

6.81 x 15.95 x 19.26 inches

### Size Unpacked w/o stand (Head Only) (D x H x W)(mm/inch)

45.5 x 296.8 x 489.3 mm

1.79 x 11.69 x 19.26 inches

### Weight Packed (kg/lbs.)

4.68 kg / 10.31 lbs.

### Weight Unpacked (kg/lbs.)

3.14 kg / 6.92 lbs.

### Weight (Monitor Head Only) (kg/lbs.)

2.39kg/ 5.27 lbs

## WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x HDMI 1.4 cable (1.8 m)

Quick setup guide

## CERTIFICATION

### ENERGY STAR Certification

Yes

### TCO

8.0

### TCO Edge

2.0

### RoHS (EU 2002/95/EC)

Yes

### EPEAT

Gold

### China Energy Efficiency Standard

Tier 2

### TÜV Rheinland Low Blue Light

Yes

### TÜV Rheinland Flicker Free

Yes



<sup>1</sup> HDMI only <sup>2</sup> AMD FreeSync™ is enabled for AMD Radeon™ Series graphics cards.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive.

Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600.

Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

# ThinkVision S24e-20


## EMPOWER YOUR EMPLOYEES

### THE MONITOR THAT'S THE RIGHT TOOL FOR THE TASK

Equip your staff with a monitor that will help power their productivity. ThinkVision S24e-20 is an excellent performer that delivers core functionality with a sleek new form factor. Its 1920 x 1080 FHD resolution VA panel display produces vivid images to every one of your colleagues standing around the desk up to angles as extreme as 178°. The compact screen head is twice as slim as its previous generation and sits within a compact 3-side NearEdgeless frame. Place two side-by-side for a seamless visual setup without a big clumsy column breaking the scene. S24e-20 has your staff's individual comfort in mind. And tilting to the perfect angle, the modern and minimized square-based stand dials up comfort and stability while cutting down its physical footprint to give our people more desk space to get the job done with clean efficiency. Then, it goes further, by incorporating a handy phone rack right inside that small square base, so that the phone is not just cleared off the desk, but it's angled perfectly for hands-free use. Cleaning up even more, the stand's built-in cable management system keeps wires out of sight and out of mind. Which is a good thing because, with HDMI, VGA and Audio Out ports, S24e-20 can connect to a whole range of mission-critical devices such as PCs and even headphones. Of course, not every business scenario calls for a desk. So, with that in mind, you can mount this monitor on the wall through its 100 mm x 100 mm VESA mount capability, which will also hold a Lenovo Tiny or Nano PC discreetly behind the screen. And because your staff are your most precious asset, S24e-20 has TÜV Rheinland Eye Comfort Certified technology to protect them from eye fatigue. This monitor is **recognized as the Most Efficient of ENERGY STAR 2021**, which means that it meets the rigorous standards set by the U.S. Environmental Protection Agency.



## FEATURES OF THINKVISION S24e-20 MONITOR




### Your 3-side NearEdgeless edge

Make multitasking near-effortless with 3-side NearEdgeless display. Compare files side-by-side on two screens with an almost uninterrupted visual continuity. Share content with colleagues standing up, sitting down or far off to the side as much as 178°; everyone sees the same quality image thanks to a 23.8-inch, FHD 1920 x 1080 resolution, VA panel display. Its 7.1 mm slim head design has less than half the screen thickness of the model it replaces but will still hold a Lenovo Tiny or Nano PC tucked away on its back.



### Visibly safe and comfortable

S24e-20 has TÜV Eye Comfort certified technology to protect your employees' eyes even during long stretches of work. And for greater user comfort, the screen can tilt on its stand to the perfect angle to suit each individual user. Or simply take the monitor off the desk altogether and place onto the wall with its 100 x 100 mm VESA wall mount capability that can also hold a Tiny or Nano PC unseen behind the screen.



### Connection, connection, connection

Connect to your fleet of other devices thanks to extensive compatibility. Through HDMI 1.4, VGA and even Audio Out ports, S24e-20 works with PCs laptops and even headphones or external speakers. And you'll never be troubled by those devices' wires because the integrated cable management system tucks them tidily out of your way. And an extra touch that staff will appreciate is the new integrated phone holder right in the base of the stand.



# ThinkVision S24e-20

## DISPLAY

### Panel Size

23.8-inch

### Screen Dimensions

531.73 mm x 340.80 mm

### Panel Type

3-side NearEdgeless, VA

### Active Area

527.04 mm x 296.46 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.2745 x 0.2745 mm

### Dot/Pixel Per Inch (DPI/PPI)

93

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode)

6ms (Normal Mode)

### Refresh Rate

60 Hz

### Brightness (typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (typical)

3000:1

### Dynamic Contrast Ratio (typical)

3M:1

### Color Gamut

72% NTSC (CIE 1931)

### Color Support (typical)

16.7 Million

### Anti-Glare

Yes

## CONNECTIVITY

### Video Signal

1 x HDMI 1.4

1 x VGA

### Audio Signal

1 x Audio Out (3.5 mm)

## MULTIMEDIA

### Optional Soundbar Support

Yes (PN number: OA36190)

## SPECIAL FEATURES

### Sync Technology

AMD FreeSync™\*

## POWER

### Power Consumption (typical/max)

17.5W / 23.5W

### Power Consumption Sleep/Off Mode

< 0.5W

### Power Consumption Switch-off Mode

< 0.5W

### Energystar Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)

12W / 36 kWh

### Power Supply

Internal

### Voltage Required

AC 100 to 240V (50–60 Hz)

## MECHANICAL

### Tilt Angle (front/back)

-5° / 22°

### VESA Mount Capability

Yes (100 x 100 mm)

### ThinkCentre M Series Tiny Support

Yes, by Tiny VESA mount II

(PN: 4XFON03161)

### ThinkCentre M Series Nano Support

Yes, by Nano VESA mount

(PN: 4XFOV81630)

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (side)

2.5 mm

### Bezel Width (top/bottom)

2.5 / 22.4 mm

## DIMENSIONS

### Size Packed (D x H x W, mm/inch)

624.0 x 124.0 x 415.0 mm

24.57 x 4.88 x 16.34 inches

### Size Unpacked w/ Stand

(D x H x W, mm/inch) (lowest position)

173.1 x 434.5 x 540.4 mm

6.81 x 17.10 x 21.28 inches

### Size Unpacked w/ Stand

(D x H x W, mm/inch) (highest position)

173.1 x 434.5 x 540.4 mm

6.81 x 17.10 x 21.28 inches

### Size Unpacked w/o stand (Head Only)

(D x H x W)(mm/inch)

45.5 x 327.2 x 540.4 mm

1.79 x 12.88 x 21.28 inches

### Weight Packed (kg/lbs.)

5.42 kg / 11.95 lbs.

### Weight Unpacked (kg/lbs.)

3.82 kg / 8.42 lbs.

### Weight (Monitor Head Only) (kg/lbs.)

3.02 kg / 6.66 lbs.

## WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x HDMI cable (1.8 m)

Quick setup guide

## CERTIFICATION

### ENERGY STAR Certification

Yes

### CCC

Yes

### TCO

8.0

### TCO Edge

2.0

### RoHS (EU 2002/95/EC)

Yes

### EPEAT

Gold

### Windows Certification

Windows 7, Windows 10

### China Energy Efficiency Standard

Tier 1

### TÜV Rheinland Eye Comfort

Yes



\*AMD FreeSync™ is enabled for AMD Radeon™ Series graphics cards.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision S27e

# The stuff of staff success.

REALISE YOUR BUSINESS VISION WITH THE RIGHT MONITOR FOR THE TASK.



Employee happiness and productivity go hand in hand. Put the right monitor in front of your workforce and it'll work as a force for good, empowering them to be happier and better in their job. Enter ThinkVision S27e-20. The next generation of this excellent performer, upgraded with new form factor and functionality. Its sleek design and compact features are crafted to help employees get right down to business.


First off, its head design is twice as slim as the generation it replaces. While its 3-side NearEdgeless panel display with ultra-slim bezels makes navigating spreadsheets over two screens an effortless task, eliminating actual physical obstacles to productivity. Sharing a screen for any number of employees becomes more effective, because its 1920 x 1080 FHD resolution In-Plane Switching panel displays images to everyone, no matter what angle they're standing, or sitting, to the screen with no color distortion.

User experience is considered in every detail. The monitor's stand now sits higher above the desk and tilts to provide the best viewing position. Its square base and small footprint add stability while minimizing desk real estate. Then it goes one better by incorporating a handy phone rack for users' convenience.

On the subject of other devices, the S27e-20 offers effortless connection to PCs and laptops through both HDMI and VGA ports, making your presentations, video files and spreadsheets easy to manage and deliver. For quality sound delivery, the monitor outputs to speakers and headphones through Audio Out port. And all those resulting cables can be hidden away through the stand's integrated cable management system to keep desks clutter-free.

Lenovo

## FEATURES OF THINKVISION S27e-20 MONITOR



### Maximized screen. Minimized frame.

Larger 27-inch screen delivers big even on small detail. Its 3-side NearEdgeless display makes multitasking more seamless when comparing files side-by-side on two screens that create almost uninterrupted real estate. And employees can easily share content with teammates in person. The FHD 1920 x 1080 resolution In-Plane Switching panel produces distortion-free images even at angles up to 178° horizontally and vertically. Its 7.1 mm slim head design has less than half the screen thickness of the model it replaces but will still hold a Lenovo Tiny or Nano PC tucked away on its back.



### Connectivity and flexibility

Connect other mission-critical devices like PCs and laptops through HDMI 1.4 or even VGA. Now S27e-20 can also output sound to headphones or speakers through the 3.5 mm Audio Out port. While wires are channeled neatly away through the integrated soft rubber cable management system that flexes to easily hold cords out of the way and out of sight.



### Comfort comes first

Safeguarding employees' vision against eye strain during long stretches of work, S27e-20 uses TÜV Rheinland Low Blue Light and Eye Comfort technology. For even greater comfort and flexibility than the previous generation, the screen now sits higher above the desk and tilts on its stand, though staff may choose to take the monitor off the desk altogether and place onto the wall with its 100 x 100 mm VESA wall mount capability. And an extra touch that staff will appreciate is the new integrated phone holder right in the base of the stand.

# ThinkVision S27e-20

## DISPLAY

**Panel Size**  
27-inch

**Screen Dimensions**  
612.49 mm x 367.69 mm

**Panel Type**  
In-Plane Switching  
3-side NearEdgeless

**Active Area**  
597.89 mm x 336.31 mm

**Backlight**  
LED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.3114 x 0.3114 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
82

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode)  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (typical)**  
1000:1

**Dynamic Contrast Ratio (typical)**  
3M:1

**Color Gamut**  
72% NTSC (CIE 1931)

**Color Support (typical)**  
16.7 Million

**Anti-Glare**  
Yes

## CONNECTIVITY

**Video Signal**  
1 x HDMI 1.4  
1 x VGA

**Audio Signal**  
1 x Audio Out (3.5 mm)

**Optional Soundbar Support**  
Yes (PN number: 0A36190)

## SPECIAL FEATURES

**Sync Technology**  
AMD FreeSync™\*

## POWER

**Power Consumption (typical/max)**  
18W / 24W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)**  
48W / 115kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50–60 Hz)

## MECHANICAL

**Tilt Angle (front/back)**  
-5°/22°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny VESA mount II (PN: 4XFON03161)

**ThinkCentre M Series Nano Support**  
Yes, by Nano VESA mount (PN: 4XFOV81630)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (side)**  
2.5 mm

**Bezel Width (top/bottom)**  
2.5 / 22.4 mm

## DIMENSIONS

**Size Packed (D x H x W, mm/inch)**  
126.0 x 455.0 x 710.0 mm  
4.96 x 17.91 x 27.95 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)**  
182.5 x 475.8 x 612.5 mm  
7.18 x 18.73 x 24.11 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)**  
182.5 x 475.8 x 612.5 mm  
7.18 x 18.73 x 24.11 inches

**Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)**  
43.2 x 367.7 x 612.5 mm  
1.70 x 14.48 x 24.11 inches

**Weight Packed (kg/lbs.)**  
6.42 kg / 14.15 lbs.

**Weight Unpacked (kg/lbs.)**  
4.6kg / 10.14 lbs.

**Weight (monitor head only) (kg/lbs.)**  
3.6kg / 7.94 lbs.

## WHAT'S IN THE BOX

Monitor with stand  
1 x Power cable (1.8 m)  
1 x HDMI cable (1.8 m)  
Quick setup guide

## CERTIFICATION

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
8.0

**TCO Edge**  
2.0

**EPEAT**  
Silver

**RoHS (EU 2002/95/EC)**  
Yes

**Windows Certification**  
Windows 7, Windows 10

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Low Blue Light**  
Yes



\*AMD FreeSync™ is enabled for AMD Radeon™ Series graphics cards.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo