

Use apps for flexibility and convenience



Experience apps in window mode for enhanced flexibility and ease of use.



Easily share documents via QR code, Google Drive, One Drive, and Email.

Rely on the built-in security measures



Clear cache data, document, and website historical data in settings.



Enhanced permission management ensures security, only allowing your IT manager to change settings or install apps.

1. Take Presentations and Demonstrations to the next level

Content that's crystal clear

Present content with unparalleled clarity on the super bright 400nit display. The display's built-in Natural Low Blue Light technology keeps the eyes of your entire class safe from strain without any color distortion, ensuring that all content looks completely clear and color accurate.

Designed for interactivity and safety

Easily interact with any content on screen with its 20-touchpoint capability, which also allows for co-creation. Experience improved accessibility by easily reaching to the top of the large display just by pulling down on it.





2. Teaching that's more engaging than ever

Additional education tools

The iLFD comes with abundant built-in tools, designed to help make teaching more intuitive, interesting and convenient, allowing teachers to efficiently create content and pique the curiosity of students.







Sticky notes Mind map

Easier for demonstration & interaction

Make teaching more interactive and convenient than ever before. Add pictures, office documents and web pages to your presentations to make them more engaging. Boost class participation by allowing multiple students to work on the screen at once and share assignments and files with the class easily.







Split screen mode




Easy to save & share



Cloud iWB for co-creation

Teaching sessions will now be more participative by allowing the class to engage and interact with the content using Cloud iWB's co-create function. Class participation helps students retain more information and improve their learning. The ability to interact with the content in class makes the process of classroom learning a lot more interactive, rich, and fun.





3. Experience unparalleled convenience

iLFD makes having to stand right next to a whiteboard a thing of the past.

One-cable wired connection

Whether it be external storage devices with class content or peripherals for presenting, connecting external devices to the iLFD is a breeze with the availability of many ports. Enjoy the convenience of single cable connection to the display using the USB-C port, along with the benefit of up to 65W charging so that your device never runs out of power.

Cast content wirelessly

Allow students to participate in class with their mobiles/tablets while teachers teach, or cast content such as quizzes, videos, or other content from mobile devices onto the iLFD easily and seamlessly, giving teachers the freedom to move around the class while teaching.



Or



Wireless Casting





enovo

Think Vision S75 iLFD Monitor Specs

Display Size

75-inch

Panel Type

VA

Active Area

1650.2 mm x 928.3 mm

Aspect Ratio

16:9

Resolution

3840 x 2160

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

8.5ms

Refresh Rate

60Hz

Brightness (Typical)

400 cd/m²

Brightness (Peak)

450 cd/m²

Contrast Ratio (Typical)

4000:1

Color Support (Typical)

1.07 Billion

Anti-glare (Panel)

Yes

Touch Technology Glass Type

Infrared Touch 3.2 mm. Anti-glare

Multi-touch Capability

Glass Hardness 8H (Pencil Hardness)

20 Touchpoints

Touch Accuracy

1 mm

Memory 4 GB

Storage 32 GB

Wired

1 × RJ45

WiFi 1

IEEE 802.11a/b/g/n/ac (both 2.4 and 5 GHz bands). Bluetooth® 5.1

WiFi 2

IEEE 802.11a/b/g/n/ac/ax (both 2.4 and 5 GHz bands), Bluetooth® 5.2

Front Ports

1 x USB Type-C¹ Gen 1 (DP 1.2 Alt Mode) 2 x USB 3.0 Type-A 1 x HDMI 2.0

Rear Ports

1 x HDMI 2.0

1x Touch USB Type-B

1 x USB 3.0

1 x USB 2.0

1x VGA

1 x RJ45 1 x RS232

1 x HDMI-Out 2.0

1 x LINE-Out (3.5 mm)

Top Ports

1 x USB 2.0

OPS Slot

Yes

Integrated Speakers

Yes (2 x 15W)

Sensor

1 x Ambient Light Sensor

Power Supply

External

Voltage Required

AC 100 to 240 V (50-60Hz)

VESA Mount

600 × 400 mm

Handle

Size Packed (D x H x W) 1920.0 x 1285.0 x 210.0 mm

Size Unpacked with Wall Mount (DxHxW)

1709.4 x 1041.7 x 121.9 mm

Size Unpacked without Wall Mount $(D \times H \times W)$

1709.4 x 1041.7 x 90.0 mm

Weight Packed

72.6 kg

Weight Unpacked with Wall Mount 52.7 kg

Weight (Display Only)

50.6 kg

What's in the Box

Monitor with Wall Mount Bracket

Power Cable (Cable Length)

1 x Power Cable (3 m)

HDMI Cable (Cable Length)

1 x HDMI Cable (3 m)

USB Cable (Cable Length)

1 x USB Type-B to Type-A Cable (3 m)

Remote Control with Battery

Yes

Stylus

Yes (2 x Stylus)

Quick Setup Guide and Warranty Booklet

Yes

Yes

FCC ID

Yes

ERP

Yes

: B	IC ID	RoHS
′es	Yes	Yes
TUVus	BIS	REACH
´es	Yes	Yes
es SB Ces	WPC Yes	WEEE Yes
MDA	RCM	CA65
′es	Yes	Yes
E-LVD	C-Tick	UL-VOC
'es	Yes	Yes
E-EMC	UKCA	Eyesafe 2.0
es	Yes	Yes
E Red	ENERGY STAR 8.0	TÜV Eye Comfort
es	Yes	Yes
CC SDoC	CEC	HDMI Compliance

Yes

Yes

USB-IF

¹USB Type-C and USB-C are registered trademarks of USB Implementers Forum.

This datasheet is for BETT in March 2023 only. Images and specs may change until the final release of the product.