

# THINKVISION T22v

ACHIEVE MORE WITH UNINTERRUPTED COLLABORATION

Lenovo

## PURPOSEFULLY DESIGNED FOR EVERYDAY BUSINESS

Redefine collaboration with the purposefully designed 21.5-inch ThinkVision T22v-20. Designated as one of the Most Efficient ENERGY STAR certified products in 2020, it reduces your carbon footprint while lowering power consumption. A built-in camera, Full-HD display, microphone, and speakers take video conferencing to a whole new level and easy to scale. The integrated IR Camera in conjunction with Windows Hello facial recognition ensures users can safely login without a password. In addition, the ThinkShutter allows users to cover their camera and the Auto Alarm feature notifies users when the camera or microphone is in use—safeguarding user confidentiality and privacy. Lenovo exclusive ThinkColour software<sup>1</sup> lets you effortlessly adjust advanced display settings using the mouse, enhancing efficiency and user experience.




## FEATURES OF THINKVISION T22v-20



### Effortless Collaboration

Enjoy seamless collaboration on the ThinkVision T22v-20, equipped with an FHD camera, dual-array microphones, and stereo speakers that facilitate an enhanced VoIP meeting experience. The 1920 x 1080 screen offers exceptional visual clarity for effective meetings and presentations.



### Uncompromised Security

Privacy is safeguarded with the ThinkShutter that physically covers the camera when not in use. For enhanced privacy, a smart auto-alarm function notifies you if the camera or microphone is in use. The IR camera coupled with Windows Hello ensures secure facial recognition for quick, secure logins.



### Amplified Productivity

An angle-adjustable camera, inbuilt with smart face-tracking technology automatically adjusts the user's face to the center of the screen, optimizing the display for a perfect VoIP meeting. Dedicated speaker and microphone control keys make it easy to toggle audio and video during meetings. Increased lift range and tilt angle on this monitor allow you to adjust it to a comfortable position.

# ThinkVision T22v-20

## DISPLAY

**Panel Size**  
21.5-inch

**Screen Dimensions**  
476.06 mm x 267.79 mm

**Panel Type**  
3-side NearEdgeless  
In-Plane Switching

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.2479 x 0.2479 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
102

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode)  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (typical)**  
250 cd/m<sup>2</sup>

**Brightness (peak)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (typical)**  
1000:1

**Dynamic Contrast Ratio (typical)**  
3M:1

\*This software can only be used with Windows 10

**Color Gamut**  
72% NTSC (CIE 1931)

**Color Support (typical)**  
16.7 Million

**Anti-glare**  
Yes

## CONNECTIVITY

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2  
1 x VGA

**Audio Signal**  
1 x Audio Combo  
(3.5 mm; in/out)

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen1

**USB Downstream**  
2 x USB 3.2 Gen1 (1 x BC 1.2)

## MULTI-MEDIA

**Integrated Webcam**  
Yes (1080p, IRRGB camera)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## SPECIAL FEATURES

**Software**  
Lenovo ThinkColour (Lenovo Display Control Center)<sup>1</sup>

## POWER

**Power Consumption (Typ./Max)**  
13W / 43W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)**  
10.75W / 33.81kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## MECHANICAL

**Tilt Angle (front/back)**  
-5° / 35°

**Swivel Angle (left/right)**  
+45° / -45°

**Lift (max. range)**  
150 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny support**  
Yes (sold separately)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (side)**  
1.8 mm

**Bezel Width (top/bottom)**  
1.8 / 22.0 mm

## DIMENSION

**Size Packed (D x H x W, mm/inch)**  
390.0 x 187.0 x 577.0 mm  
15.35 x 7.36 x 22.72 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)**  
205.0 x 413.0 x 489.3 mm  
8.07 x 16.26 x 19.26 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)**  
205.0 x 563.0 x 489.3 mm  
8.07 x 22.17 x 19.26 inches

**Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)**  
48.3 x 314.4 x 489.3 mm  
1.90 x 12.38 x 19.26 inches

**Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)**  
121.7 mm

**Max. Distance from Table to Panel (highest pixel at top of screen, mm)**  
539.4 mm

**Weight Packed (kg/lbs.)**  
7.22kg / 15.92 lbs.

**Weight Unpacked (kg/lbs.)**  
5.49kg / 12.10 lbs.

**Weight (monitor head only) (kg/lbs.)**  
3.03kg / 6.68 lbs.

**Full Container Load (40' STD/20' STD)**  
1188/550 units

## WHAT'S IN THE BOX

Monitor with stand  
1 x Power cable (1.8 m)  
1 x DP cable (1.8 m)  
1 x USB Type-A to Type-B cable (1.8 m)  
Quick setup guide

## CERTIFICATION

**ENERGY STAR Rating**  
8.0

**CCC**  
Yes

**TCO**  
8.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**RoHS (EU 2002/95/EC)**  
Yes

**Windows Certification**  
Yes

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes



Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2. Enhanced Sign-in Security is not supported.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

## ThinkVision T24v-30 Monitor

**Focused on remote collaboration. Fine-tuned for productivity!**

**Smarter technology for all**

A fun go-getter for the home and office.

The ThinkVision T24v-30 Monitor is the perfect companion for work - especially when you need to collaborate with your teams remotely! Its 23.8-inch borderless screen size ensures that you have a monitor that's compact but still gives you enough screen real estate to view two windows side by side. You'll always get a clear view of the screen, irrespective of where you're sitting, with the In-Plane Switching panel that affords wider viewing angles with no distortion. Work documents and video content always look clear and crisp, thanks to the FHD resolution. Two noise-cancellation microphones, coupled with two 3W speakers ensure that all your video conferences and meetings run without any hiccups! Connecting your computer to your ThinkVision T24v-30 Monitor will never be a problem, thanks to a variety of input options - 1 x VGA, 1 x HDMI 1.4, and 1 x DP 1.2. Getting to your work has never been as seamless, with the Windows Hello Facial Recognition feature made available by the IR+RGB camera, while the 2MP, 1920 x 1080 resolution camera ensures that you always look crystal-clear to all your colleagues. Plugging in and accessing your peripherals and storage devices gets swifter, with the in-built USB hub that offers four USB Type-A ports. The LTPS stand allows for more flexibility as its lift, tilt, pivot, and swivel functions make all the adjustments to ensure you're always in your most comfortable posture. Ensuring that your eyes experience no strain while you work is important, and that's taken care of by our Natural Low Blue Light technology. Additionally, your privacy is kept front and center, with a privacy shutter that covers the camera. The ThinkVision T24v-30 Monitor helps you get all your work done with supreme ease, whether at home or at the office!

## Features of ThinkVision T24v-30 Monitor



### Prepped for productivity

The ThinkVision T24v-30 Monitor's 23.8-inch screen gives you a compact display to work with while the borderless design not only gives the monitor a contemporary look but also increases the overall screen real estate. The In-Plane Switching panel allows for clarity no matter the angle you are viewing it from.



### Tech that's tailored for remote work

Remote official video meetings have never been as simple and clear, with the in-built microphones, speakers, and 1080p front camera on the ThinkVision T24v-30 Monitor. Attaching peripherals to boost productivity is easier than ever, using side-mounted USB-A ports. Getting to work needs no waiting, as the ultra-fast login supported by Windows Hello Facial Recognition gets you going in a flash.



### Ergonomics that boost productivity

Getting your setup just right goes a long way in boosting productivity, and that's exactly what you can do with the lift, tilt, pivot, and swivel functions that allow you to adjust the ThinkVision T24v-30 Monitor to suit your comfort. Additionally, the monitor's Natural Low Blue Light technology protects your eyes from harmful blue light without any color distortion.

# ThinkVision T24v-30 Monitor

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
527.0 mm x 296.5 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.274 mm x 0.274 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
75Hz<sup>1</sup>

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2  
1 x VGA

**Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-B

**USB Downstream**  
3 x USB 3.2 Gen 1<sup>2</sup> Type-A  
1 x USB 2.0 Type-A

## Multimedia

**Integrated Webcam**  
Yes (1920 x 1080, 2MP, IR+RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>3</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
18.0W / 60.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon / E<sub>TEC</sub>)**  
13.0W / 41.1kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket  
Mounting Kit III (PN: 4XFIK72399)<sup>4</sup>

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
178.0 x 422.0 x 590.0 mm  
7.01 x 16.61 x 23.23 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
199.7 x 542.8 x 539.8 mm  
7.86 x 21.37 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
199.7 x 387.8 x 539.8 mm  
7.86 x 15.27 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 363.3 x 539.8 mm  
2.12 x 14.30 x 21.25 inches

**Weight Packed (kg / lbs.)**  
8.5 kg / 18.7 lbs

**Weight Unpacked (kg / lbs.)**  
6.0 kg / 13.2 lbs

**Weight (Monitor Head Only) (kg / lbs.)**  
4.0 kg / 8.8 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**DP Cable (Cable Length)**  
1 x DP Cable (1.8m, for EMEA/LA/AP<sup>5</sup>)

**HDMI Cable (Cable Length)**  
1 x HDMI Cable (1.8m) (for NA<sup>6</sup>)

**USB Cable (Cable Length)**  
1 x USB Type-A to Type-B Cable (1.8m)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-E)

**China Energy Efficiency Standard**  
Yes

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> HDMI and DP only. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>4</sup> Sold separately. | <sup>5</sup> EMEA - Europe, Middle East, and Africa, LA - Latin America, AP - Asia-Pacific region. | <sup>6</sup> NA - North America.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo

# ThinkVision T24mv-30 Monitor

## Remote collaborations, now clearer than ever.

Smarter technology for all

Microsoft Teams certified VoIP monitor that's made for meetings.

If you're looking to get some serious work done, then the ThinkVision T24mv-30 Monitor is the perfect companion for you! This Microsoft Teams certified monitor is designed to make your online collaboration experience as streamlined as possible. While it seems compact from the outside, its 23.8-inch borderless screen ensures that you have enough screen space to view two windows side by side. The in-built Teams button gets you to your meetings with the click of a button. The In-Plane Switching panel provides a distortion-free view of your display no matter which angle they view it from. Sharp FHD resolution ensures that everything on display looks crisp and completely clear, whether it's documents or your colleagues in a video meeting. Two noise-cancellation microphones, coupled with two 5W speakers and the VoIP feature ensure that all your video conferences and meetings run without any hiccups! In addition to the variety of input options, the DP Out on the ThinkVision T24mv-30 Monitor lets you daisy chain another display to get twice the screen real estate. The Windows Hello Facial Recognition feature supported by the IR+RGB camera makes logging into work a breeze, while the 5MP camera ensures that you always look crystal-clear in all your meetings. Four USB 3.2 Gen 1\* Type-A ports give you the flexibility to connect all your preferred accessories and storage devices. During long hours of work, the Natural Low Blue Light technology protects your eyes from harmful blue light without any color distortion. Getting the monitor to your preferred ergonomic position is now possible with the flexible LTPS stand, which allows you to lift, tilt, pivot, and swivel the monitor. Additionally, the new integrated smart sensor helps the monitor improve your user experience by alerting you if you're sitting too close, reminding you to walk frequently, and turning off the screen when you leave. The ThinkVision T24mv-30 Monitor truly brings out the best in you and ensures that all your remote work is supported by crystal-clear audio and high-resolution visuals.

## Features of ThinkVision T24mv-30 Monitor



### Begin work in an instant

The Windows Hello Facial Recognition feature on the ThinkVision T24mv-30 Monitor allows you to get to work almost instantaneously, using the IR+RGB camera. Now you can connect your computer to the monitor with a single cable, allowing you to achieve a cleaner setup. Changing the monitor's settings is made easy with the hook switch, volume control, and mute buttons.



### Made for remote meetings

The 5MP camera on this Microsoft Teams certified monitor ensures that you look sharp in all your video meetings, while the two Environmental Noise Cancellation microphones and the VoIP functionality ensure that you sound crystal clear! The in-built dual 5W speakers produce clear stereo sound so that you never miss a word of what's said in any meeting. Getting to meetings has also never been easier, thanks to the dedicated Teams button on your ThinkVision T24mv-30 Monitor.



### A monitor that's smart

The new smart sensor helps the ThinkVision T24mv-30 Monitor care for your well-being. It can alert you when you're sitting way too close to the screen and when you've been sitting for a long. Additionally, it can even turn off the monitor when it senses that you're away, granting you some additional privacy. The LTPS stand lets you lift, tilt, pivot, and swivel the monitor so it makes all the adjustments needed to keep you comfortable.

\* Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

# ThinkVision T24mv-30 Monitor

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
527.0 mm x 296.5 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.274 mm x 0.274 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
75Hz

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1  
1 x DP 1.4  
1 x DP Out

**Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-C<sup>1</sup> (90W)

**USB Downstream**  
4 x USB 3.2 Gen 1<sup>2</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (2592 x 1944, 5MP, IR+RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 5W)

## Special Features

**Software**  
Lenovo ThinkColour (Lenovo Display Control Center)<sup>3</sup>

**Smart Sensor**  
Yes (Auto Ambient Brightness Sensor, Human Detection Sensor)

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
24.5W / 160.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon / ETEC)**  
14.3W / 48.2kWh

**Power Supply**  
Internal

**USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>4</sup>**  
Up to 90W

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket Mounting Kit III (PN: 4XFIK72399)<sup>5</sup>

**Kensington Lock Slot**  
Yes

**Headphone Hook**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
178.0 x 422.0 x 590.0 mm  
7.01 x 16.61 x 23.23 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
199.7 x 542.8 x 539.8 mm  
7.86 x 21.37 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
199.7 x 387.8 x 539.8 mm  
7.86 x 15.27 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 363.3 x 539.8 mm  
2.12 x 14.30 x 21.25 inches

**Weight Packed (kg / lbs.)**  
8.6 kg / 19.0 lbs

**Weight Unpacked (kg / lbs.)**  
6.5 kg / 14.3 lbs

**Weight (Monitor Head Only) (kg / lbs.)**  
4.5 kg / 9.9 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8 m)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-E)

**China Energy Efficiency Standard**  
Yes

**Microsoft Teams Certification**  
Yes

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen 2x2. | <sup>3</sup> This software can only be used with Windows 10 & Windows 11. | <sup>4</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>5</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo

## ThinkVision T27hv-30 Monitor

Remote collaborations have never looked and sounded better!

Smarter technology for all

Microsoft Teams certified VoIP monitor that's made for remote collaborations.

Looking for a monitor that delivers absolutely clear audio and stunning visuals? The ThinkVision T27hv-30 Monitor certified with Microsoft Teams may be the answer for you. VoIP functionality makes remote collaboration on this monitor a breeze. This large size, coupled with the wider viewing angles of the In-Plane Switching panel ensures that your team doesn't have to huddle too close to get a clear view of your display. The monitor's QHD resolution lets you view all your work-related documents and meetings with unparalleled clarity! While the two in-built 5W speakers and VoIP functionality ensure that you're able to hear your colleagues clearly during meetings, the two noise-cancellation microphones ensure that you are heard clearly too! If you need additional room for multitasking, the DP Out port allows you to daisy chain an additional monitor, doubling the available screen size! The ThinkVision T27hv-30 Monitor's Windows Hello Facial Recognition feature makes logging into work a breeze, while the 5MP camera ensures that you always look sharp and crystal clear. If you use several accessories and external storage devices, the availability of four USB 3.2 Gen 1<sup>1</sup> Type-A ports ensures you always have options. Now connect your laptop to the monitor with a single cable, while using the monitor's RJ45 port and DP-out port for connecting to the internet and to additional monitors. Lenovo's new integrated smart sensor works mindfully to elevate your user experience by alerting you if you're sitting too close, reminding you to get up and take a walk frequently, and turning off the screen when you leave. If getting work done is your priority, then the ThinkVision T27hv-30 Monitor will help you get it done sensibly.



## Features of ThinkVision T27hv-30 Monitor



### Gets you to work quickly!

Ultra-fast login is now possible on the ThinkVision T27hv-30 Monitor, using the IR+RGB Camera which supports the Windows Hello Facial Recognition feature. The conveniently-placed hook switch, volume control, and mute button ensure that changing the monitor's settings is extremely easy. Using the Ethernet and USB-C<sup>2</sup> input, you can connect the monitor to the display with a single cable!



### Puts your meetings in focus!

With its dedicated Teams buttons, getting to meetings is easier than ever on this Microsoft Teams certified monitor. The in-built dual 5W speakers produce clear stereo sound so that you never miss a word of what's said in any meeting, while the two ENC microphones ensure that you sound perfectly clear! Additionally, the 5MP camera ensures that you look sharp in all your video meetings.



### Makes you comfortable.

The introduction of the new smart sensor allows the ThinkVision T27hv-30 to really elevate your user experience and even care for your health. The monitor can now alert you when you've been sitting for a long and when you're sitting way too close to the screen. Additionally, it can even turn off the monitor when it senses that you're away, granting you some more privacy.

<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>2</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum.

# ThinkVision T27hv-30 Monitor

## Display

**Panel Size**  
27-inch

**Screen Dimensions**  
608.8 mm x 355.3 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
596.7 mm x 335.7 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
2560 x 1440

**Pixel Pitch**  
0.233 mm x 0.233 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
109

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
75Hz

**Brightness (Typical)**  
300 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1  
1 x DP 1.4  
1 x DP Out

**Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-C<sup>1</sup> (90W)

**USB Downstream**  
4 x USB 3.2 Gen 1<sup>2</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (2592 x 1944, 5MP, IR+RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 5W)

## Special Features

**Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>3</sup>

**Smart Sensor**  
Yes (Auto Ambient Brightness Sensor, Human Detection Sensor)

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
30.0W / 168.5W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon / E<sub>TEC</sub>)**  
21.1W / 69.5kWh

**Power Supply**  
Internal

**USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>4</sup>**  
Up to 90W

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket Mounting Kit III (PN: 4XFIK72399)<sup>5</sup>

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Headphone Hook**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
160.0 x 510.0 x 720.0 mm  
6.30 x 20.08 x 28.35 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
204.7 x 584.6 x 613.8 mm  
8.06 x 23.02 x 24.17 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
204.7 x 429.6 x 613.8 mm  
8.06 x 16.91 x 24.17 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 404.8 x 613.8 mm  
2.12 x 15.94 x 24.17 inches

**Weight Packed (kg / lbs.)**  
10.9 kg / 24.0 lbs

**Weight Unpacked (kg / lbs.)**  
7.9 kg / 17.4 lbs

**Weight (Monitor Head Only) (kg / lbs.)**  
5.7 kg / 12.6 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8m)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-F)

**China Energy Efficiency Standard**  
Yes

**Microsoft Teams Certification**  
Yes

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>4</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>5</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



## Lenovo ThinkVision VoIP Stack

Modernize collaboration  
with a smarter solution

Smarter  
technology  
for all


Lenovo

### Effortless virtual meetings for everyday productivity

Take virtual meetings to a whole new level with the Lenovo ThinkVision VoIP Stack that is built to deliver superior collaborative experiences for your teams, no matter where you work. This new modular stack incorporates neat, linear design features that seamlessly fit in with the ambiance of your workspace, enhancing its ergonomics. Modern remote workers who engage in frequent video conferencing can make the most of their collaborative opportunities with privacy controls. This stack design integrates the ThinkVision MC60 Monitor Webcam and ThinkVision MS30 Monitor Soundbar, making adapting to everyday hybrid working a breeze. Stay in control of your workday with various adjustability features—perfect camera angles, comfortable height, superior sound quality, and advanced security features. The whole VoIP solution combines built-in smarter features with ThinkColour software support and a flexible, clutter-free design to help elevate your productivity.



## Purposeful features for next-level meeting experiences



### Make any place your workspace

Experience flexibility at work with the ThinkVision VoIP Stack. The plug-and-play VoIP solution is made to suit your remote collaboration needs. Get a streamlined, inspiring work environment with instant starts to your meetings and stay at your productive best anytime, anywhere.



### Clutter-free connectivity with ThinkVision monitors

Say goodbye to the clutter and the mess of multiple cables. The new modular stack connects directly with your ThinkVision monitor USB-A port, so getting into a quick meeting is easy without the rush of tidying up.



### Adjustable features that support a busy day

Get the flexibility to customize your Lenovo ThinkVision VoIP Stack based on your work requirement. Independently use the ThinkVision MC60 Monitor Webcam for video calls or the ThinkVision MS30 Monitor Soundbar for audio-only meetings. Alternatively, combine the camera and speaker to get a holistic VoIP meeting solution. Adjust the height of the ThinkVision VoIP stack with monitor for comfort and ease of use.

## ThinkVision MS30 Monitor Soundbar


Uncompromised audio quality  
for ThinkVision monitors

Smarter  
technology  
for all



The ThinkVision MS30 Monitor Soundbar delivers crystal clear and quality sound directly from the front 2 x 2W speakers, so your virtual meetings and classroom experiences are always rich. Its sleek, modular design, less than 30 mm in height is free of cable clutter and pairs perfectly with your ThinkVision P and T Series monitors.<sup>1</sup> It has a Security Lock that keeps it safe from physical theft once connected. Lenovo ThinkColour software enables convenient display features for a stress-free experience.

## Smart audio for world-class collaboration



### Superior sound for effective meetings

The ThinkVision MS30 Monitor Soundbar offers an economical way for a high-quality speaker to do what it was designed for—deliver perfect sound. Simple front delivery allows you to listen well, compared to speakers that face away or those that are mounted sideways. The front-facing 2 x 2W sound experience is perfect for virtual meetings and online classroom sessions.



### Go cableless with ThinkVision P and T Series displays<sup>1</sup>

The ThinkVision MS30 Monitor Soundbar is the perfect partner for your ThinkVision monitor. Its sleek, cableless design keeps your work area clutter-free, good-looking, and always ready for collaboration. In-built anti-theft functionality with Security Lock helps ensure your system integrity remains intact.



### Innovative and easy-to-use audio settings

The ThinkVision MS30 Monitor Soundbar speaker is straight forward to operate and is designed for compatibility with your ThinkVision P and T Series monitors.<sup>1</sup> Lenovo's ThinkColour software incorporates display features, enabling easy-to-adjust audio output quality for effortless collaborative sessions.



## ThinkVision MC60 Monitor Webcam

Amplified video output  
for everyday meetings

Smarter  
technology  
for all

Lenovo



Take your virtual meetings to the next level. The ThinkVision MC60 Monitor Webcam is an intuitive webcam that offers the most stunning video quality—full 1080p resolution designed to fit on your monitor seamlessly. For seamless collaboration, capture your best perspectives with different FOV angles of 65/78/90 degrees, autofocus features, and smart controls. The ThinkVision MC60 Monitor Webcam is designed to eliminate ambient noise with directional signal transmission technology that optimizes the microphone between private and conference modes to give a tailored audio experience. Its built-in, high-sensitivity dual mics capture precise voice inputs from up to two meters away. Advanced security features such as the privacy shutter and anti-theft functionality ensure privacy protection when you need it the most.

Certified for  
Microsoft Teams

## Collaborative perspectives for the new workplace



### Superior resolution. Thoughtful design.

The ThinkVision MC60 Monitor Webcam allows you to select your best camera angle with different FOV angles of 65/78/90 degrees and adjustable height settings that help you capture your best views and still maintain your privacy. The 1080p IR+RGB camera and large 1/2.9-inch sensor size sensor combined with smart functionality controls to enhance the appearance of your face and adjust the lighting to help you always look your best. Moreover, its compact form fits super comfortably into any workspace. It does away with cable clutter while its lift expansion structure fits perfectly into your monitor's USB-A slot.



### Smart appearance. Efficient meetings.

Waste no time logging into sessions, thanks to Windows Hello secure login. Look your sharpest with the Autofocus camera. Cancel ambient noise with the latest noise-filtering technology, so your audience hears every word you say without distortion. Further enhance your meetings with Smart Traffic Light that warns people around you that you are on a call, so they won't interrupt you.



### Worry-free, secure collaboration

Stay in control of your contribution to meetings with the handy Audio Mode Switch so your audience only hears what you want to say. Your privacy is in your hands, thanks to the webcam's physical shutter that blinds your camera—especially helpful when working remotely. Additionally, the anti-theft functionality helps secure the camera with a physical key.

# Lenovo ThinkVision VoIP Stack installation guide


There is no reason to worry about your MC60 and MS30 falling over at a critical time or being stolen from your setup. These innovative modular solutions come with a built-in locking mechanism that secures them to the stand, and the device they are attached to. The innovative locking mechanism activates when the soundbar and camera are connected to the device. A special key is also available for users to unlock and lock them at need. Each module attaches individually, and together with the stand attachment.

Lenovo

- 1** Attach the MC60 or MS30 with the USB-A attachment, per preference, to lock automatically



- 2** Stack the MC60 in front of the MS30 via USB-A



- 3** Twist the keyhole 180° to lock it in place



Visual representation  
of VoIP Stack after  
mounting on the monitor

# Technical Specifications

## THINKVISION MC60 MONITOR WEBCAM

### CONNECTIVITY

**Connectivity to Monitor**  
USB-A, cableless

**USB**  
2.0

### VIDEO

**Resolution**  
FHD (1920 x 1080)

**Record Resolution and Framerate**  
640 x 480@ 30fps  
1280 x 720@ 30fps  
1920 x 1080@ 30fps

**Lens Type**  
IR+RGB

**RGB Sensor Size**  
1/2.9 inches

**RGB DFOV**  
65° / 78° / 90°

**Digital Zoom**  
4x

**Focus Type**  
Autofocus

**Shooting Angle**  
Tilt -25° / +25°

**Video Coding**  
MJPEG  
YUY2

### AUDIO

**Integrated Microphone**  
2 x built-in mics

**Built-in Speaker**  
No

**Noise Cancellation**  
Yes

### SPECIAL FEATURES

**Software**  
Lenovo ThinkColour  
(Lenovo Display Control Centre)

**Support OS**  
Windows 10, Windows 11

**Special Features**  
Privacy shutter : physically cover webcams lens  
Auto face framing  
Anti-flicker

**Microphone Switch**  
Microphones disable via  
Audio Mode Switch button  
Private mode : Blocks all noise out of 60-degree (ENC + beamforming)  
Conference mode : ENC only  
Off : Electrical off mics

**Privacy Shutter**  
Yes (built-in)

**Tilt Control**  
Yes

**Lift Expansion**  
Yes

**Security Lock**  
Yes

**Others**  
1 x Traffic light for Video / Audio on / off  
1 x Mic Indicator for Audio on / off

### POWER

**Power Input**  
5V, 800 mA

**Voltage Required**  
DC

### PHYSICAL

**Product Color**  
Raven Black

**Packed Dimension (L x D x H, mm / inch)**  
172.0 x 100.0 x 55.0 mm  
6.77 x 3.93 x 2.16 inch

**Packed Weight**  
211.2 g

**Size w/o Stand (D x H x W, mm / inch)**  
41.5 x 28.2 x 123.2 mm  
1.63 x 1.11 x 4.85 inch

**Size w/ Stand (D x H x W, mm / inch)**  
41.5 x 152.2 x 123.2 mm  
1.63 x 5.99 x 4.85 inch

**Weight w/o stand**  
73.2 g

**Weight w/ stand**  
136.8 g

### WHAT'S IN THE BOX

1 x MC60 Monitor Webcam  
1 x Stand  
1 x Key  
1 x QSG  
1 x Warranty Booklet

**Microsoft Teams**  
Yes

**Windows Hello**  
Yes

### CERTIFICATION

CE for European Union / European Free Trade Association  
UKCA  
FCC and ICES for North America  
CB(62368 -1)  
IC  
KCC for South Korea  
BSMI for Taiwan  
VCCI for Japan  
CQA  
UKR for Ukraine  
SASO for Saudi Arabia  
EAC for Russia / Customs Union  
BIS  
NOM for Mexico  
Microsoft Teams  
Windows Hello

### COMPATIBLE MONITORS

P32p-30 | T32p-30  
P27h-30 | T27p-30  
P27q-30 | T32h-30  
| T27h-30  
| T27i-30

\*This software can only be used with Windows 10 & Windows 11.  
'Compatible only with selected ThinkVision P and T Series monitors.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo



# Technical Specifications

## THINKVISION MS30 MONITOR SOUNDBAR

### CONNECTIVITY

#### Connectivity to Monitor

USB-A, cableless

#### USB

2.0

### AUDIO

#### Power Output

2 x 2W

#### Frequency Range

140 Hz – 20 kHz

#### Impedence

4 Ohm

#### Sensitivity

85dB @1w/0.5m

#### Distortion

< 3%

#### Signal-to-Noise Ratio

64dB

#### Diver

35 x 16 mm

#### Speaker System

RTOS

### SPECIAL FEATURES

#### Software

Lenovo ThinkColour  
(Lenovo Display Control Center\*)

#### Support OS

Windows 10, Windows 11

#### Security Lock

Yes

#### Lift Expansion

Yes

#### Others

No

### POWER

#### Power Consumption

5V, 1.6A

#### Voltage Required

DC

### PHYSICAL

#### Product Color

Raven Black

#### Packed Dimension (L x D x H, mm / inch)

300.0 x 70.0 x 80.0 mm

11.81 x 2.76 x 3.15 inch

#### Packed Weight

302.8 g

#### Size w/o Stand (D x H x W, mm / inch)

34.5 x 27.2 x 256.0 mm

1.35 x 1.07 x 10.07 inch

#### Size w/ Stand (D x H x W, mm / inch)

34.5 x 152.2 x 256.0 mm

1.35 x 5.99 x 10.07 inch

#### Weight w/o stand

111.2 g

#### Weight w/ Stand

174.8 g

### WHAT'S IN THE BOX

1 x MS30 Monitor Soundbar

1 x Stand

1 x Key

1 x QSG

1 x Warranty Booklet

### CERTIFICATION

CB

FCC

IC

CE

UKCA

VCCI

BSMI

KC

3C

CQA

### COMPATIBLE MONITORS

P32p-30 | T32p-30

P27h-30 | T27p-30

P27q-30 | T32h-30

| T27h-30

| T27i-30

\*This software can only be used with Windows 10 & Windows 11.

†Compatible only with selected ThinkVision P and T Series monitors.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connector on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo

## ThinkCentre Tiny-In-One (TIO) 22 Gen 5

# One machine to connect you with the world.

Smarter  
technology  
for all

Multitask with multiple devices.

The ThinkCentre Tiny-In-One (TIO) 22 Gen 5 is an all-rounder with its 21.5-inch FHD In-Plane Switching panel which provides an immersive video calling experience. This Modular design of the monitor makes it compatible with Lenovo's range of high-performance ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen, and gives a complete working experience when paired with its VoIP features. This can be installed on your monitor effortlessly and housed on the back of the monitor in a dedicated slot, making your desk cable-free. The classic installation mechanism ensures you have a consistent experience, allowing you to easily and quickly mount last-gen Tiny PCs on the monitor. Designed to be a powerful VoIP machine, this monitor is enhanced with features that make video conferencing a great experience. During online meetings, the 1080p RGB webcam and integrated noise-cancellation microphone produce exceptionally clear audio and video. TIO 22 Gen 5 also has a Smart Traffic Light indicator that alerts everyone in the vicinity to an ongoing meeting, letting you remain focused. If remaining focused and staying in the conversation is of importance to you, then the two built-in 3W speakers ensure that the audio from meetings is always clear and crisp. Easily manage VoIP calls with one toggle to change the volume or mute the call using the dedicated VoIP buttons. Your privacy is in your hands with the ThinkShutter, which allows you to cover the camera when not in its use. Lenovo takes care of the environment with green packaging and optional CO<sub>2</sub> offset service for zero to minimal carbon emission. In addition to Tiny PCs, this monitor can also be easily connected to other notebooks, towers using the HDMI and DP ports, and to other peripherals using the USB ports. With the ThinkColour software<sup>1</sup>, customize the screen's attributes, create screen profiles, and easily switch between them as per your work preference. Protects your eyes from harmful blue light without any color distortion during long hours of screen time with the Natural Low Blue Light technology. The TIO 22 Gen 5 is the perfect option if you're looking for a clean and clutter-free setup to maximize productivity and enjoy an efficient, all-in-one experience.

## Features of ThinkCentre Tiny-In-One (TIO) 22 Gen 5



### Tiny package, max performance

The TIO 22 Gen 5 is designed to give you a modular, easy-to-upgrade, plug-and-play experience. It is compatible with Lenovo's range of ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. This can be installed easily and quickly, and housed at the back of the monitor in a dedicated slot, making your desk clutter-free. An unchanged installation mechanism ensures that your experience of attaching Tiny PCs to your monitor is smooth and convenient. Securing both your monitor and the Tiny Computer is also now possible using the Kensington locks available.



### Meets your meeting requirements

With the TIO 22 Gen 5, all your online meetings come to life. Dedicated VoIP buttons make getting to and managing audio on online calls very easy and convenient. You'll hear all meeting participants loud and clear on the monitor's two built-in 3W speakers. The 1080p RGB webcam module perfectly captures even the most minute expressions, ensuring that your image looks crisp and sharp to your colleagues. The Smart Traffic Light indicator ensures that you continue working without any interruptions by alerting everyone in the vicinity about an ongoing meeting.



### Naturally comfortable

The TIO 22 Gen 5's 21.5-inch FHD In-Plane Switching panel with 99% sRGB color support reproduces crisp & colorful imagery and video content. Your eyes are protected by the TÜV Rheinland Eye Comfort, TÜV Low Blue Light, and Eyesafe 2.0 certified technologies and Natural Low Blue Light technology that filters out harmful blue light during extended screen time, without any color distortion. Adjust your seating position to gain a comfortable working posture with the wider lift range and lower position functions. Keeping your workspace clutter-free is easy with the open phone rack and cable management system. Rest assured that your choice of monitor is environment friendly with its green, recycled paper packaging and optional CO<sub>2</sub> offset service.

<sup>1</sup> This software can only be used with Windows 10 & Windows 11.

# ThinkCentre Tiny-In-One (TIO) 22 Gen 5

## Display

**Panel Size**  
21.5-inch

**Screen Dimensions**  
484.5 mm x 284.5 mm

**Panel Type**  
In-Plane Switching

**Active Area**  
476.1 mm x 267.8 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.248 mm x 0.248 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
102

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-B

**USB Downstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (1080p, RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**KVM Switch**  
Yes

**Software**  
Lenovo ThinkColour (Lenovo Accessories  
and Display Manager)<sup>2</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
13.4W / 33.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR® Power Consumption  
(Pon / E<sub>TEC</sub>)**  
10.0W / 32.3kWh

**Power Supply**  
External

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
Yes -5° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 46.0 mm

**Compatible with**  
ThinkCentre / ThinkCentre Neo /  
ThinkStation Tiny from 4<sup>th</sup> Gen

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
176.0 x 422.0 x 568.0 mm  
6.93 x 16.61 x 22.36 inches

**Size Unpacked w/ Stand (Highest Position)  
(D x H x W) (mm/inch)**  
207.6 x 512.3 x 489.3 mm  
8.17 x 20.17 x 19.26 inches

**Size Unpacked w/ Stand (Lowest Position)  
(D x H x W) (mm/inch)**  
207.6 x 357.3 x 489.3 mm  
8.17 x 14.07 x 19.26 inches

**Size Unpacked w/o Stand (Head Only)  
(D x H x W) (mm/inch)**  
72.8 x 339.1 x 489.3 mm  
2.87 x 13.35 x 19.26 inches

**Weight Packed (kg / lb)**  
8.1 kg / 17.9 lbs.

**Weight Unpacked (kg / lbs.)**  
5.5 kg/ 12.1 lbs.

**Weight (Monitor Head Only) (kg / lbs.)**  
3.2 kg / 7.1 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.0 m)

**Power Adapter (Wattage)**  
Yes (90W)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR® Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-D)

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

<sup>2</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems).

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo

## ThinkCentre Tiny-In-One (TIO) 22 Gen 5 Touch

Smarter  
technology  
for all

# One machine to connect you with the world.

Multitask with multiple devices.



The ThinkCentre Tiny-In-One (TIO) 22 Gen 5 Touch is an all-rounder with its 21.5-inch FHD In-Plane Switching panel which provides an immersive video calling experience. This Modular design of the monitor makes it compatible with Lenovo's range of high-performance ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen, and gives a complete working experience when paired with its VoIP features. This can be installed on your monitor effortlessly and housed on the back of the monitor in a dedicated slot, making your desk cable-free. The classic installation mechanism ensures you have a consistent experience, allowing you to easily and quickly mount last-gen Tiny PCs on the monitor. Designed to be a powerful VoIP machine, this monitor is enhanced with features that make video conferencing a great experience. During online meetings, the 1080p RGB webcam and integrated noise-cancellation microphone produce exceptionally clear audio and video. TIO 22 Gen 5 also has a Smart Traffic Light indicator that alerts everyone in the vicinity to an ongoing meeting, letting you remain focused. If remaining focused and staying in the conversation is of importance to you, then the two built-in 3W speakers ensure that the audio from meetings is always clear and crisp. Easily manage VoIP calls with one toggle to change the volume or mute the call using the dedicated VoIP buttons. Your privacy is in your hands with the ThinkShutter, which allows you to cover the camera when not in its use. Navigate any content on the screen with ease using its 10-point capacitive touch capability or pen<sup>1</sup> support. Lenovo takes care of the environment with green packaging and optional CO<sub>2</sub> offset service for zero to minimal carbon emission. In addition to Tiny PCs, this monitor can also be easily connected to other notebooks, towers using the HDMI and DP ports, and to other peripherals using the USB ports. With the ThinkColour software<sup>2</sup>, customize the screen's attributes, create screen profiles, and easily switch between them as per your work preference. Protects your eyes from harmful blue light without any color distortion during long hours of screen time with the Natural Low Blue Light technology. The TIO 22 Gen 5 is the perfect option if you're looking for a clean and clutter-free setup to maximize productivity and enjoy an efficient, all-in-one experience.

## Features of ThinkCentre Tiny-In-One (TIO) 22 Gen 5 Touch



### Tiny package, max performance

The TIO 22 Gen 5 is designed to give you a modular, easy-to-upgrade, plug-and-play experience. It is compatible with Lenovo's range of ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. This can be installed easily and quickly, and housed at the back of the monitor in a dedicated slot, making your desk clutter-free. An unchanged installation mechanism ensures that your experience of attaching Tiny PCs to your monitor is smooth and convenient. Securing both your monitor and the Tiny Computer is also now possible using the Kensington locks available.



### Meets your meeting requirements

With the TIO 22 Gen 5, all your online meetings come to life. 10-point capacitive touch capability and pen<sup>1</sup> support allow you to navigate meetings and work with ease and convenience. Dedicated VoIP buttons make getting to and managing audio on online calls very easy and convenient. You'll hear all meeting participants loud and clear on the monitor's two built-in 3W speakers. The 1080p RGB webcam module perfectly captures even the most minute expressions, ensuring that your image looks crisp and sharp to your colleagues. The Smart Traffic Light indicator ensures that you continue working without any interruptions by alerting everyone in the vicinity about an ongoing meeting.



### Naturally comfortable

The TIO 22 Gen 5's 21.5-inch FHD In-Plane Switching panel with 99% sRGB color support reproduces crisp & colorful imagery and video content. Your eyes are protected by the TÜV Rheinland Eye Comfort, TÜV Low Blue Light, and Eyesafe 2.0 certified technologies and Natural Low Blue Light technology that filters out harmful blue light during extended screen time, without any color distortion. Adjust your seating position to gain a comfortable working posture with the wider lift range and lower position functions. Keeping your workspace clutter-free is easy with the open phone rack and cable management system. Rest assured that your choice of monitor is environment friendly with its green, recycled paper packaging and optional CO<sub>2</sub> offset service.

<sup>1</sup> Selected pen. | <sup>2</sup> This software can only be used with Windows 10 & Windows 11.

# ThinkCentre Tiny-In-One (TIO) 22 Gen 5 Touch

## Display

**Panel Size**  
21.5-inch

**Screen Dimensions**  
484.5 mm x 284.5 mm

**Panel Type**  
In-Plane Switching

**Active Area**  
476.1 mm x 267.8 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.248 mm x 0.248 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
102

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical, Panel)**  
250 cd/m<sup>2</sup>

**Brightness (Typical, Set)**  
230 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

## Touch

Yes (10-point Capacitive Touch, 7H)

**Anti-glare**  
Yes

**Anti-fingerprint**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-B

**USB Downstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (1080p, RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**KVM Switch**  
Yes

**Software**  
Lenovo ThinkColour (Lenovo  
Accessories and Display Manager)<sup>2</sup>

**Natural Low Blue Light**  
Yes

**Pen/Digitizer**  
Yes (Passive)<sup>3</sup>

## Power

**Power Consumption (Typ. / Max)**  
13.4W / 33.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR® Power Consumption  
(Pon / E<sub>TEC</sub>)**  
11.2W / 38.2kWh

**Power Supply**  
External

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-5° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 46.0 mm

**Compatible with**  
ThinkCentre / ThinkCentre Neo /  
ThinkStation Tiny from 4<sup>th</sup> Gen

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
176.0 x 422.0 x 568.0 mm  
6.93 x 16.61 x 22.36 inches

**Size Unpacked w/ Stand (Highest Position)  
(D x H x W) (mm/inch)**  
207.6 x 512.3 x 489.3 mm  
8.17 x 20.17 x 19.26 inches

**Size Unpacked w/ Stand (Lowest Position)  
(D x H x W) (mm/inch)**  
207.6 x 357.3 x 489.3 mm  
8.17 x 14.07 x 19.26 inches

**Size Unpacked w/o Stand (Head Only)  
(D x H x W) (mm/inch)**  
72.8 x 339.1 x 489.3 mm  
2.87 x 13.35 x 19.26 inches

**Weight Packed (kg / lbs.)**  
8.4 kg / 18.5 lbs.

**Weight Unpacked (kg / lbs.)**  
5.7 kg / 12.6 lbs.

**Weight (Monitor Head Only) (kg / lbs.)**  
3.4 kg / 7.5 lbs.

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.0 m)

**Power Adapter (Wattage)**  
Yes (90W)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR® Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-D)

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

<sup>2</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>3</sup> Selected pen.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo

## ThinkCentre Tiny-In-One (TIO) 24 Gen 5

# Your modern-day multitasker.

Unparalleled collaboration. Quick installation.

Smarter  
technology  
for all



The ThinkCentre Tiny-In-One (TIO) 24 Gen 5 displays visuals and video content with great clarity on the 23.8-inch borderless In-Plane Switching FHD panel with 99% sRGB color support. It provides a complete working experience when paired with its VoIP features, a modular design which allows it to be attached with Lenovo's range of high-performance ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. These can be effortlessly installed and housed in the dedicated slot at the back of the monitor, giving you a cable-free desk. Enjoy a consistent experience while using the classic installation mechanism to quickly and easily mount Tiny PCs to the monitor. Designed for efficient remote collaboration, it has a 1080p RGB webcam with a noise-cancellation microphone for crystal-clear audio and video. Besides that, the Smart Traffic Light indicator indicates the status of an ongoing interaction or meeting, helping you avoid unforeseen distractions. Two integrated 3W user-facing speakers play the audio with amazing fidelity, making attending meetings a much more pleasant experience. Dedicated VoIP buttons allow you to easily mute or change the volume, making your remote meeting experience much more convenient. User-centric features like ThinkShutter allow you to cover your webcam lens for enhanced privacy and security. Recyclable packaging and optional CO<sub>2</sub> offset service for minimal carbon emission footprint make this monitor environment-friendly. In addition to the Tiny PCs, you can also connect other laptops or towers using the HDMI and DP ports, and peripherals using the USB ports. The monitor's Natural Low Blue Light technology works to reduce the harmful blue light without any color distortion during long working hours. Customize your workstation and easily adjust its various settings using the ThinkColour Software<sup>1</sup>. In a nutshell, the TIO 24 Gen 5 helps you get a clean, clutter-free desk, collaborate seamlessly and multitask efficiently to maximize productivity.

## Features of ThinkCentre Tiny-In-One (TIO) 24 Gen 5



### Tiny Packages that pack a punch

The TIO 24 Gen 5 is a modular device that supports Lenovo's range of ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. You can easily and quickly attach the Tiny to the monitor and secure them in a dedicated slot on the monitor's back, offering a clutter-free desk. An unchanged installation process ensures that you have a consistent and smooth experience when attaching Tiny PCs to the monitor. Connect multiple different devices such as laptops, towers, or notebooks using the available HDMI or DP ports. Easily secure both your TIO monitor and Tiny Computer with the Kensington lock for additional security.

<sup>1</sup> This software can only be used with Windows 10 & Windows 11.



### Remote meetings at its core

The TIO 24 Gen 5 gives you plug-and-play functionality with Lenovo's Tiny PCs. A 1080p RGB webcam captures you accurately and two built-in 3W speakers help you listen to your colleagues clearly during meetings. Dedicated VoIP buttons make attending your meetings easier than ever. The menu Joystick allows you to tweak your screen's settings easily. A dedicated privacy shutter allows you to cover the camera for privacy once a meeting ends. The Smart Traffic Light indicator shows the status of an ongoing meeting to avoid potential disruptions.



### Your partner as well as nature's

Experience clear and sharp detail, and a wide field of view on the monitor's 23.8-inch FHD In-Plane Switching panel that supports a 99% sRGB color gamut. During long hours of exposure, the TÜV Rheinland Eye Comfort, TÜV Low Blue Light, and Eyesafe 2.0 certified technologies and Natural Low Blue Light technology reduces harmful blue light without any color distortion. The TIO 24 Gen 5 also eases your physical comfort with options to lift and lower its height to match your seating position. The monitor is packaged in recycled paper and comes with an optional CO<sub>2</sub> offset service, which allows you to do your bit for the environment.

# ThinkCentre Tiny-In-One (TIO) 24 Gen 5

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
In-Plane Switching

**Active Area**  
527.0 mm x 296.4 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.275 mm x 0.275 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-B

**USB Downstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (1080p, RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**KVM Switch**  
Yes

**Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>2</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
14.0W / 34.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR® Power Consumption (Pon / Etec)**  
11.9W / 37.9kWh

**Power Supply**  
External

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-5° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 46.0 mm

**Compatible with**  
ThinkCentre / ThinkCentre Neo / ThinkStation Tiny from 4<sup>th</sup> Gen

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
187.0 x 420.0 x 620.0 mm  
7.36 x 16.54 x 24.41 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
207.6 x 539.6 x 539.8 mm  
8.17 x 21.24 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
207.6 x 384.6 x 539.8 mm  
8.17 x 15.14 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
72.8 x 367.6 x 539.8 mm  
2.87 x 14.47 x 21.25 inches

**Weight Packed (kg / lbs.)**  
9.5 kg / 20.9 lbs.

**Weight Unpacked (kg / lbs.)**  
6.0 kg / 13.2 lbs.

**Weight (Monitor Head Only) (kg / lbs.)**  
3.7 kg / 8.2 lbs.

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.0m)

**Power Adapter (Wattage)**  
Yes (90W)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR® Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-D)

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. |  
<sup>2</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems).

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo

## ThinkCentre Tiny-In-One (TIO) 24 Gen 5 Touch

Smarter  
technology  
for all

# Your modern-day multitasker.

Unparalleled collaboration. Quick installation.

The ThinkCentre Tiny-In-One (TIO) 24 Gen 5 Touch displays visuals and video content with great clarity on the 23.8-inch borderless In-Plane Switching FHD panel with 99% sRGB color support. It provides a complete working experience when paired with its VoIP features, a modular design which allows it to be attached with Lenovo's range of high-performance ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. These can be effortlessly installed and housed in the dedicated slot at the back of the monitor, giving you a cable-free desk. Enjoy a consistent experience while using the classic installation mechanism to quickly and easily mount Tiny PCs to the monitor. Designed for efficient remote collaboration, it has a 1080p RGB webcam with a noise-cancellation microphone for crystal-clear audio and video. Besides that, the Smart Traffic Light indicator indicates the status of an ongoing interaction or meeting, helping you avoid unforeseen distractions. Two integrated 3W user-facing speakers play the audio with amazing fidelity, making attending meetings a much more pleasant experience. Dedicated VoIP buttons allow you to easily mute or change the volume, making your remote meeting experience much more convenient. User-centric features like ThinkShutter allow you to cover your webcam lens for enhanced privacy and security. In addition, the TIO 24 Gen 5's display gives you the flexibility of using its 10-point capacitive touch capability or a pen<sup>1</sup> for easy navigation. Recyclable packaging and optional CO<sub>2</sub> offset service for minimal carbon emission footprint make this monitor environment-friendly. In addition to the Tiny PCs, you can also connect other laptops or towers using the HDMI and DP ports, and peripherals using the USB ports. The monitor's Natural Low Blue Light technology works to reduce the harmful blue light without any color distortion during long working hours. Customize your workstation and easily adjust its various settings using the ThinkColour Software<sup>2</sup>. In a nutshell, the TIO 24 Gen 5 helps you get a clean, clutter-free desk, collaborate seamlessly and multitask efficiently to maximize productivity.



## Features of ThinkCentre Tiny-In-One (TIO) 24 Gen 5 Touch



### Tiny Packages that pack a punch

The TIO 24 Gen 5 is a modular device that supports Lenovo's range of ThinkCentre and ThinkStation Tiny Computers from 4<sup>th</sup> Gen. You can easily and quickly attach the Tiny to the monitor and secure them in a dedicated slot on the monitor's back, offering a clutter-free desk. An unchanged installation process ensures that you have a consistent and smooth experience when attaching Tiny PCs to the monitor. Connect multiple different devices such as laptops, towers, or notebooks using the available HDMI or DP ports. Easily secure both your TIO monitor and Tiny Computer with the Kensington lock for additional security.

<sup>1</sup> Selected pen. | <sup>2</sup> This software can only be used with Windows 10 & Windows 11.



### Remote meetings at its core

The TIO 24 Gen 5 gives you plug-and-play functionality with Lenovo's Tiny PCs. 10-point capacitive touch capability and pen<sup>1</sup> support help you navigate work and meetings with ease and convenience. A 1080p RGB webcam captures you accurately and two built-in 3W speakers help you listen to your colleagues clearly during meetings. Dedicated VoIP buttons make attending your meetings easier than ever. The menu Joystick allows you to tweak your screen's settings easily. A dedicated privacy shutter allows you to cover the camera for privacy once a meeting ends. The Smart Traffic Light indicator shows the status of an ongoing meeting to avoid potential disruptions.



### Your partner as well as nature's

Experience clear and sharp detail, and a wide field of view on the monitor's 23.8-inch FHD In-Plane Switching panel that supports a 99% sRGB color gamut. During long hours of exposure, the TÜV Rheinland Eye Comfort, TÜV Low Blue Light, and Eyesafe 2.0 certified technologies and Natural Low Blue Light technology reduces harmful blue light without any color distortion. The TIO 24 Gen 5 also eases your physical comfort with options to lift and lower its height to match your seating position. The monitor is packaged in recycled paper and comes with an optional CO<sub>2</sub> offset service, which allows you to do your bit for the environment.

# ThinkCentre Tiny-In-One (TIO) 24 Gen 5 Touch

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
In-Plane Switching

**Active Area**  
527.0 mm x 296.4 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.275 mm x 0.275 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical, Panel)**  
250 cd/m<sup>2</sup>

**Brightness (Typical, Set)**  
230 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Touch**  
Yes (10-point Capacitive Touch, 7H)

**Anti-glare**  
Yes

**Anti-fingerprint**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-B

**USB Downstream**  
1 x USB 3.2 Gen 1<sup>1</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (1080p, RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**KVM Switch**  
Yes

**Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>2</sup>

**Natural Low Blue Light**  
Yes

**Pen/Digitizer**  
Yes (Passive)<sup>3</sup>

## Power

**Power Consumption (Typ. / Max)**  
14.0W / 34.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR® Power Consumption (Pon / E<sub>TEC</sub>)**  
12.9W / 43.6kWh

**Power Supply**  
External

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-5° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 46.0 mm

**Compatible with**  
ThinkCentre / ThinkCentre Neo / ThinkStation Tiny from 4<sup>th</sup> Gen

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
187.0 x 420.0 x 620.0 mm  
7.36 x 16.54 x 24.41 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
207.6 x 539.6 x 539.8 mm  
8.17 x 21.24 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
207.6 x 384.6 x 539.8 mm  
8.17 x 15.14 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
72.8 x 367.6 x 539.8 mm  
2.87 x 14.47 x 21.25 inches

**Weight Packed (kg / lbs.)**  
9.8 kg / 21.6 lbs.

**Weight Unpacked (kg / lbs.)**  
6.3 kg / 13.9 lbs.

**Weight (Monitor Head Only) (kg / lbs.)**  
4.0 kg / 8.8 lbs.

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.0m)

**Power Adapter (Wattage)**  
Yes (90W)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR® Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-D)

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>2</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>3</sup> Selected pen.  
© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.  
Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo