Lenovo ThinkVision E22-30 Monitor

Power productivity with exceptional viewing comfort.

Productivity gets a dazzling display

- This 21.5-inch, 3-side NearEdgeless FHD monitor delivers a distraction-free view with exceptional visual clarity.
- In-Plane Switching powers a sharper, more accurate display, while a wide viewing angle (H/V 178°/ 178°) ensures clear views from any direction.
- 99% sRGB displays vivid images, 75Hz refresh rate delivers fluid smooth video play, and a 1000:1 contrast ratio powers brighter whites and darker blacks.
- Natural Low Blue Light technology cares for your vision, without color distortion.

Eco-friendly design and clever ergonomics for improved efficiency


- While the LTPS (Lift, Tilt, Pivot, Swivel) Tiny-supported stand enhances seating and viewing comfort, you can also VESA (100 x 100) mount the monitor.
- Enjoy a better user experience with joystick control while optimized cable management keeps your desk clutter-free.
- Recyclable paper/pulp cushion packaging and eco-friendly design meets TCO the leading sustainability certification.

Built-in features to power the workday

- VGA, HDMI 1.4, and DP 1.2 ports ensure you can plug in and perform at your best.
- The 2 x 2W built-in speakers deliver crystal-clear audio.







Lenovo ThinkVision E22-30 Monitor

Display

Panel Size

21.5-inch

Screen Dimensions 484.5 mm x 284.5 mm

Panel Type

3-side NearEdgeless, In-Plane Switching

Active Area 476.1 mm x 267.8 mm

Curvature Flat

Backlight WLED

Aspect Ratio 16:9

Resolution 1920 x 1080

Pixel Pitch 0.248 mm x 0.248 mm

Dot/Pixel Per Inch (DPI/PPI) 102

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time

4ms (Extreme Mode), 6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate

75Hz

Brightness (Typical) 250 cd/m²

Contrast Ratio (Typical) 1000:1

Dynamic Contrast Ratio (Typical) 3M:1

Color Gamut (Coverage Ratio) 99% sRGB

Color Support (Typical) 16.7 Million

Color Depth 8-bit (6+FRC)

Anti-glare Yes

Connectivity

Video Signal 1 x HDMI 1.4 1 x DP 1.2 1 x VGA

Multimedia

Integrated Speakers Yes (2 x 2W)

Special Features

Natural Low Blue Light Yes

Power

Power Consumption (Typ. / Max) 11.0W / 27.0W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (Pon / ETEC)

9.2W / 29.1kWh

Power Supply Internal

Voltage Required AC 100 to 240 V (50-60Hz) Mechanical

Tilt Angle (Front / Back) -5° / 22°

Swivel Angle (Left / Right) -360° / 3<u>60°</u>

Lift (Max. Range) 155 mm

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support* Yes, by ThinkCentre Tiny VESA Mount II (PN: 4XF0N03161)

ThinkCentre M Series Nano Support* Yes, by Nano VESA Mount (PN: 4XF0V81630)

Kensington Lock Slot 3 mm x 7 mm 2.5 mm x 6 mm

Cable Management

Bezel Color Raven Black

Yes

Bezel Width (Side)

1.8 mm Bezel Width (Top / Bottom)

1.8 mm / 18.3 mm

Dimension

Size Packed (D x H x W, mm/inch)

131.0 x 358.0 x 570.0 mm 5.16 x 14.09 x 22.44 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W, mm/inch) 178.6 x 470.3 x 488.9 mm

7.03 x 18.52 x 19.25 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W, mm/inch)

178.6 x 315.3 x 488.9 mm 7.03 x 12.41 x 19.25 inches

Size Unpacked w/o Stand (Head Only) (D x H x W. mm/inch)

46.0 x 295.1 x 488.9 mm 1.81 x 11.62 x 19.25 inches

Weight Packed (kg / lb) 6.1 kg / 13.4 lbs.

Weight Unpacked (kg / lb) 4.3 kg / 9.4 lbs.

Weight (Monitor Head Only) (kg / lb) 2.7 kg / 6.0 lbs.

What's in the Box

Monitor with Stand

Power Cable (Cable Length) 1 x Power Cable (1.8 m)

HDMI Cable (Cable Length) 1 x HDMI Cable (1.8 m)

Quick Setup Guide Yes

Tools 4 x Screws

Certification

ENERGY STAR Certification

Yes CCC

Yes TCO

90

TCO Edge 2.0

EPEAT Gold

Volatile Organic Compound Certification

RoHS (2011/65/EU)

Yes

Windows Certification Windows 10, Windows 11

EU Energy Level Certification Yes (Level-C)

China Energy Efficiency Standard

TÜV Rheinland Eye Comfort

TÜV Rheinland Low Blue Light Yes

TÜV Rheinland Flicker Free Yes

TÜV Low Blue Light (Hardware Solution)

Evesafe Display Certification Yes (Eyesafe 2.0)



















^{*} Sold separately.

^{© 2023} Lenovo, All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others Specifications may vary depending upon region.

Lenovo ThinkVision E24-30 Monitor

Powerfully productive. Visually stunning.

Excellent display. Expansive view.

- Sit back and enjoy the clarity of this distraction-free 23.8-inch FHD monitor with 3-side NearEdgeless display.
- Enjoy enhanced clarity from any angle with In-Plane Switching and wide viewing angles (H/V 178°/ 178°).
- See vivid images via 99% sRGB, get stutter-free video enhanced by a 100Hz refresh
 rate, and sharper contrasts with whiter whites and darker blacks with a 1300:1
 contrast ratio.
- Protect your vision with Natural Low Blue Light technology that does not distort colors.

Increased efficiency. Ergonomic, eco-friendly design.


- Choose the Tiny-supported LTPS (Lift, Tilt, Pivot, Swivel) stand for enhanced seating comfort, or VESA (100 x 100) mount it for convenience.
- Work seamlessly with enhanced user experience features and convenient joystick control and enjoy an uncluttered desk with optimized cable management.
- Recyclable paper/pulp cushion packaging and eco-friendly design that's sustainably TCO-complaint make it great for the environment.

Plug and play. Power work every day.

- VGA, HDMI 1.4, and DP 1.2 ports help you plug in and perform effortlessly.
- 2 x 2W built-in speakers deliver exceptional audio clarity







Lenovo ThinkVision E24-30 Monitor

Display

Panel Size 23.8-inch

Screen Dimensions 535.0 mm x 313.0 mm

Panel Type
3-side NearEdgeless,

3-side NearEdgeless, In-Plane Switching

Active Area 527.0 mm x 296.5 mm

Curvature Flat

Backlight WLED

Aspect Ratio 16:9

Resolution 1920 x 1080 Pixel Pitch

0.275 mm x 0.275 mm

Dot/Pixel Per Inch (DPI/PPI) 93

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time

4ms (Extreme Mode), 6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate 100Hz

Brightness (Typical) 250 cd/m²

Contrast Ratio (Typical) 1300:1

Dynamic Contrast Ratio (Typical) 3M:1

Color Gamut (Coverage Ratio) 99% sRGB

Color Support (Typical) 16.7 Million

Color Depth 8-bit (6+FRC)

Anti-glare Yes

Connectivity

Video Signal 1 x HDMI 1.4 1 x DP 1.2 1 x VGA

Multimedia

Integrated Speakers Yes (2 x 2W)

Special Features

Natural Low Blue Light Yes

Power

Power Consumption (Typ. / Max) 12.0W / 29.0W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (Pon / ETEC)

11.0W / 35.4kWh

Power Supply Internal

Voltage Required
AC 100 to 240 V (50-60Hz)

Mechanical

Tilt Angle (Front / Back) -5° / 22°

Swivel Angle (Left / Right) -360° / 360°

Lift (Max. Range)

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support*
Yes, by ThinkCentre Tiny VESA Mount II
(PN: 4XF0N03161)

ThinkCentre M Series Nano Support* Yes, by Nano VESA Mount (PN: 4XF0V81630)

Kensington Lock Slot 3 mm x 7 mm 2.5 mm x 6 mm

Cable Management Yes

Bezel Color Raven Black

Bezel Width (Side) 1.8 mm

Bezel Width (Top / Bottom) 1.8 mm / 18.3 mm

Dimension

Size Packed (D x H x W, mm/inch)

126.0 x 385.0 x 621.0 mm 4.96 x 15.16 x 24.45 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W, mm/inch) 178.6 x 497.2 x 539.4 mm 7.03 x 19.57 x 21.24 inches Size Unpacked w/ Stand (Lowest Position) (D x H x W, mm/inch) 178.6 x 342.2 x 539.4 mm

7.03 x 13.47 x 21.24 inches

Size Unpacked w/o Stand (Head Only) (D x H x W, mm/inch) 46.0 x 322.0 x 539.4 mm

1.81 x 12.68 x 21.24 inches

Weight Packed (kg / lb)
6.7 kg / 14.8 lbs.

Weight Unpacked (kg / lb) 4.7 kg / 10.4 lbs.

Weight (Monitor Head Only) (kg / lb) 3.1 kg / 6.9 lbs.

What's in the Box

Monitor with Stand

Power Cable (Cable Length) 1 x Power Cable (1.8 m)

HDMI Cable (Cable Length)
1 x HDMI Cable (1.8 m)

Quick Setup Guide

Tools 4 x Screws

Certification

ENERGY STAR Certification Yes

CCC Yes

TCO

TCO Edge 2.0

EPEATGold

Volatile Organic Compound Certification

RoHS (2011/65/EU)

Yes

Windows Certification Windows 10, Windows 11

EU Energy Level Certification Yes (Level-C)

China Energy Efficiency Standard

TÜV Rheinland Eye Comfort

TÜV Rheinland Low Blue Light

TÜV Rheinland Flicker Free Yes

TÜV Low Blue Light (Hardware Solution) Yes

Eyesafe Display Certification Yes (Eyesafe 2.0)



















^{*} Sold separately.

^{© 2023} Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo ThinkVision E24q-30 Monitor

Excellent display for great productivity.

Brilliant crystal-clear display

- See every detail on the 23.8-inch, 3-side NearEdgeless distraction-free display, enhanced by QHD that supports 1.77 times of pixels than FHD for incredible clarity.
- Experience exceptionally clear views with In-Plane Switching, get distortion-free views from any side via the wide viewing angle (H/V 178°/ 178°).
- Brilliant vivid images shine with 99% sRGB, smooth and fluid video flows with a 100Hz refresh rate, and contrasts become richer with 1300:1 contrast ratio.
- Beat visual fatigue and protect your eyes with Natural Low Blue Light technology that won't distort color.

Exceptional ergonomics and eco-friendly design

- VESA mount it for convenience or let the Tiny-supported LTPS (Lift, Tilt, Pivot, Swivel) stand enhance your seating and viewing comfort.
- Designed for a better user experience, work flows smooth and swift with joystick control and optimized cable management for a clean desk.
- Power your eco-friendly actions with its recyclable paper/pulp cushion packaging and sustainable world-leading TCO and eco-design.


Power your workday, plug-in and play

- HDMI 2.0 and DP 1.2 ports ensure seamless efficiency.
- 2 x 2W built-in speakers deliver exceptional audio clarity.









Lenovo ThinkVision E24q-30 Monitor

Display

Panel Size 23.8-inch

Screen Dimensions

535.0 mm x 313.0 mm

Panel Type

3-side NearEdgeless, In-Plane Switching

Active Area 526.8 mm x 296.4 mm

Curvature

Backlight WLED

Flat

Aspect Ratio 16:9

Resolution 2560 x 1440

Pixel Pitch 0.206 mm x 0.206 mm

Dot/Pixel Per Inch (DPI/PPI)123

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time

4ms (Extreme Mode), 6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate 100Hz

Brightness (Typical) 300 cd/m²

Contrast Ratio (Typical) 1300:1

Dynamic Contrast Ratio (Typical) 3M:1

Color Gamut (Coverage Ratio) 99% sRGB

Color Support (Typical) 16.7 Million

Color Depth 8-bit (6+FRC)

Anti-glare Yes

Connectivity

Video Signal 1 x HDMI 2.0 1 x DP 1.2

Multimedia

Integrated Speakers Yes (2 x 2W)

Special Features

Natural Low Blue Light Yes

Power

Power Consumption (Typ. / Max) 16.0W / 38.5W

Power Consumption Sleep/Off Mode

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (Pon / E_{TEC})
12.2W / 38.5kWh

Power Supply Internal

Voltage Required AC 100 to 240 V (50-60Hz) **Mechanical**

Tilt Angle (Front / Back) -5° / 22°

Swivel Angle (Left / Right) -360° / 360°

Lift (Max. Range)

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support*
Yes, by ThinkCentre Tiny VESA Mount II
(PN: 4XF0N03161)

ThinkCentre M Series Nano Support* Yes, by Nano VESA Mount (PN: 4XF0V81630)

Kensington Lock Slot 3 mm x 7 mm 2.5 mm x 6 mm

Cable Management

Bezel Color Raven Black

Bezel Width (Side) 1.8 mm

Bezel Width (Top / Bottom) 1.8 mm / 18.3 mm

Dimension

Size Packed (D x H x W, mm/inch)

126.0 x 385.0 x 621.0 mm 4.96 x 15.16 x 24.45 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W, mm/inch) 178.6 x 497.2 x 539.4 mm

178.6 x 497.2 x 539.4 mm 7.03 x 19.57 x 21.24 inches Size Unpacked w/ Stand (Lowest Position) (D x H x W, mm/inch)

178.6 x 342.2 x 539.4 mm 7.03 x 13.47 x 21.24 inches

Size Unpacked w/o Stand (Head Only) (D x H x W, mm/inch) 46.0 x 322.0 x 539.4 mm

1.81 x 12.68 x 21.24 inches

Weight Packed (kg / lb) 6.7 kg / 14.8 lbs.

Weight Unpacked (kg / lb) 4.7 kg / 10.4 lbs.

Weight (Monitor Head Only) (kg / lb) 3.2 kg / 7.0 lbs.

What's in the Box

Monitor with Stand Yes

Power Cable (Cable Length) 1 x Power Cable (1.8 m)

HDMI Cable (Cable Length)
1 x HDMI Cable (1.8 m)

Quick Setup Guide

Tools 4 x Screws

Certification

ENERGY STAR Certification Yes

CCC Yes

TCO

TCO Edge

EPEAT Gold **Volatile Organic Compound Certification**

RoHS (2011/65/EU)

Yes

Windows Certification
Windows 10, Windows 11

EU Energy Level Certification Yes (Level-E)

China Energy Efficiency Standard

TÜV Rheinland Eye Comfort

TÜV Rheinland Low Blue Light

TÜV Rheinland Flicker Free Yes

TÜV Low Blue Light (Hardware Solution) Yes

Eyesafe Display Certification Yes (Eyesafe 2.0)



















^{*} Sold separately.

^{© 2023} Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVantage, ThinkVoision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision E27q

Enrich Every Workday



CLASS, COMFORT, AND CLARITY DELIVERED

A desktop monitor is an important device for most modern office goers, freelancers, work-from-home staffers, and emerging creatives. This workforce demands quality display output where high resolution, color accuracy, and ergonomics are vital to working comfortably and efficiently wherever they are. ThinkVision E27q-20 comes equipped with a QHD panel, rated for 99% sRGB, built ergonomically, and is a smart choice that is within reach of most small businesses and freelance creatives like photographers and designers.



FEATURES OF THINKVISION E27q-20 MONITOR



Outstanding Picture Clarity

Purposefully-designed, the E27q brings users precisely what is needed. With 1.77 times more pixels than FHD, the QHD display offers more details to users working on spreadsheets and datasets, so every dot and dash are clear. The In-Plane Switching panel delivers wide viewing angles, and there is no fade-out when seen from either side. The display covers 99% of the sRGB color gamut, so even entry-level creatives can get accurate color when editing images and videos. 3-side NearEdgeless bezels look modern and aid in creating seamless multi-monitor setups.



Inherent Utilitarian Convenience

The E27q comes loaded with features that maximize productivity for professionals. Mounting options for selected ThinkCentre Tiny and Nano PCs with a VESA bracket make it possible to reduce desktop clutter by placing them directly on the monitor. Multiple ports offer flexibility—HDMI is a well-rounded option for carrying video and sound, while DP is the port of choice for creatives. An Audio Out jack and built-in speakers make meetings and media consumption engaging.



Prioritizing User Comfort

Work from home or the office is physically comfortable for E27q users. Its ergonomic stand offers the flexibility for a full range of motion in the lift, tilt, pivot, and -360°/ 360° swivel axes and lets users create a setup that suits them. The display panel also comes with Low Blue Light technology that blocks harmful blue light radiation without compromising color output. Moreover, it comes with TÜV Rheinland Flicker Free, Eyesafe certification and TÜV Rheinland Eye Comfort certifications for maximized eye protection. Together, this is a monitor that is excellent to use, day or night.

ThinkVision E27q-20

DISPLAY

Panel Size 27-inch

Screen Dimensions 608.8 mm x 355.3 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Active Area 596.7 mm x 335.7 mm

Backlight WLED

Aspect Ratio

Resolution 2560 x 1440

Pixel Pitch 0.2331 mm x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

Viewing angle (H x V @ CR 10:1) $178^{\circ}/178^{\circ}$

Response Time 4ms (Extreme Mode) 6ms (Normal Mode)

Refresh Rate

Brightness (typical) 350 cd/m²

Contrast Ratio (typical) 1000:1

Dynamic Contrast Ratio (typical) ₹M·1

Color Gamut 99% sRGB

Color Support (typical) 16.7 Million

Color Depth 8-bit

CONNECTIVITY

Video Signal 1 x HDMI 1.4 1 x DP 1.2

Audio Signal 1 x Audio Out (3.5mm)

MULTI-MEDIA

Integrated Speakers Yes (2 x 2W)

POWER

Power Consumption (typical/max) 30W / 40W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC}) 21W / 65kWh

Power Supply Internal

Voltage Required AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 22°

Swivel Angle (left/right)

Lift (max range)

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny support Yes, by Tiny VESA mount II (PN: 4XF0N03161)

ThinkCentre M Series Nano support Yes, by Nano VESA mount (PN: 4XF0V81630)

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

DIMENSION

Size Packed (D x H x W, mm/inch) 186.0 x 460.0 x 730.0mm 7.32 x 18.11 x 28.74 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (Lowest position) $220.0 \times 419.0 \times 613.6$ mm $8.66 \times 16.50 \times 24.16$ inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (Highest position) 220.0 x 574.0 x 613.6mm 8.66 x 22.60 x 24.16 inches

Size Unpacked w/o stand (Head Only) (D x H x W)(mm/inch) 46.2 x 367.6 x 613.6mm 1.82 x 14.47 x 24.16 inches

Weight Packed (kg/lb) 9.0 kg / 19.9 lbs.

Weight Unpacked (kg/lb) 6.6 kg / 14.6 lbs.

Weight (Monitor Head Only) (kg/lb) 4.5 kg / 9.8 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x HDMI cable (1.8m) 1 x Power cable (1.8m) Quick setup guide

CERTIFICATION

ENERGY STAR Certification

CCC Yes

TCO 8.0

TCO Edge 2.0

EPEAT Silver

RoHS (EU 2002/95/EC) Yes Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort Yes

TÜV Low Blue Light (Hardware Solution)

TÜV Rheinland Flicker Free

Eyesafe Certification $Y_{\triangle S}$





















Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.2 Gen2 & 20 Gbit/s for USB 3.2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks of others.