


# ThinkVision T22i-30 Monitor

A dazzling display of productivity, comfort, and convenience.

Smarter technology for all

Team-up with the perfect performer.

Crafted to power performance and connectivity, the ThinkVision T22i-30 Monitor is a great force multiplier that lets you get more done. A practical 21.5-inch screen with FHD (1920 x 1080) resolution delivers a remarkably rich viewing experience with sharp and crisp picture quality. The monitor sports an In-Plane Switching panel with wider viewing angles that afford vivid views with no loss of color or contrast when viewed from any direction. Experience a wider color gamut with 99% sRGB. Enjoy a distraction-free viewing landscape with the monitor's 3-side NearEdgeless bezel design that supports a multi-screen setup, delivering seamless generous views with minimal interference. The ThinkVision T22i-30 Monitor's in-built Natural Low Blue Light technology protects your eyes from harmful blue light, while TÜV Rheinland Eye Comfort certification reduces visual fatigue, making it the perfect partner for long working hours. A host of connectivity options including VGA, DP 1.2, HDMI 1.4 with Audio Out, and four USB 3.0 ports ensure you can plug in and connect with effortless ease. A highly adjustable ergonomic stand, with tilt, swivel, lift, and pivot functions help you adjust the monitor to complement your posture and free you of any physical strain. A smaller base with an integrated phone rack saves precious desk real estate. The ThinkVision T22i-30 Monitor stays in step with the latest TCO 9.0 regulations and comes in specially designed environmentally friendly packaging that's easy on your conscience and on the environment. Powered with features that accelerate your productivity, the ThinkVision T22i-30 Monitor takes performance and comfort to a whole new level.




## Features of ThinkVision T22i-30 Monitor



### Splendid display. Supreme comfort.

The ThinkVision T22i-30 Monitor's 21.5-inch FHD (1920 x 1080) In-Plane Switching screen offers a rich, visually delightful display that's a treat for the eyes. A wide viewing angle ensures even crystal-clear displays across every inch of the screen. Experience true, natural colors as the display hits 99% of the sRGB color range and can reproduce 16.7 million colors. The stand is built ergonomically for your comfort and you can tilt, lift, swivel, and pivot it to position and adjust the monitor to your convenience. The ThinkVision T22i-30 Monitor's lowest position supports optimal seating posture.



### Seamless connectivity

Connect easily to multiple screens or devices to experience high-quality video output with the ThinkVision T22i-30 Monitor's VGA, HDMI 1.4, and DP 1.2 ports. The Audio Out port welcomes additional speakers to enhance your listening pleasure. Speed up your work with the monitor's four USB 3.0 ports which offer super-fast data transfer speeds of 10 Gbps, so you don't have to wait for anything. The ThinkVision T22i-30 Monitor's connectivity hub will put you in the fast lane, so you can truly enjoy the freedom of plugging in turning work into play!



### Cares for you and the planet

The ThinkVision T22i-30 Monitor supports a one-button joystick behind the screen that gives you easy access to monitor controls. In addition, this monitor is TCO 9.0 compliant, keeping up with the world's most comprehensive sustainability certification for IT products. Natural Low Blue Light technology reduces harmful blue light to care for your eyes, ensuring you experience high color fidelity, while TÜV Rheinland Eye Comfort certification eliminates visual fatigue. The ThinkVision T22i-30 Monitor is thoughtfully encased in paper pulp packaging that's perfectly recyclable and perfectly good for the planet too.

# ThinkVision T22i-30 Monitor

## Display

### Panel Size

21.5-inch

### Screen Dimensions

484.4 mm x 271.9 mm

### Panel Type

3-side NearEdgeless In-Plane Switching

### Active Area

476.1 mm x 267.8 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.274 mm x 0.274 mm

### Dot/Pixel Per Inch (DPI/PPI)

102

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode), 6ms (Normal Mode), 14ms (Off Mode)

### Refresh Rate

60Hz

### Brightness (Typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (Typical)

1000:1

### Dynamic Contrast Ratio (Typical)

3M:1

### Color Gamut (Coverage Ratio)

99.0% sRGB

### Color Gamut (Color Area Ratio)

108.0% sRGB

### Color Support (Typical)

16.7 Million

### Color Depth

8-bit (6+FRC)

### Anti-Glare

Yes

## Connectivity

### Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

### Audio Signal

1 x Audio Out (3.5 mm)

### USB Hub

Yes

### USB Upstream

1 x USB 3.0 Type-B

### USB Downstream

4 x USB 3.0 Type-A

## Special Features

### Software

Yes

### Natural Low Blue Light

Yes

## Power

### Power Consumption (Typ. / Max.)

15W / 48W

### Power Consumption Sleep/Off Mode

< 0.5W (Sleep), < 0.3W (Off DC)

### ENERGY STAR Power Consumption (Pon/E<sub>TEC</sub>)

11.0W / 34.41kWh

### Power Supply

Internal

### Voltage Required

AC 100 to 240 V (50-60Hz)

## Mechanical

### Tilt Angle (Front / Back)

-5° / 23.5°

### Swivel Angle (Left / Right)

+45° / -45°

### Lift (Max. Range)

155 mm

### Pivot

-90° / 90°

### VESA Mount Capability

Yes (100 x 100 mm)

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (Side)

2.0 mm

### Bezel Width (Top / Bottom)

2.0 / 17.3 mm

## Dimension

### Size Packed

(D x H x W) (mm/inch)

144.0 x 414.0 x 563.0 mm

5.67 x 16.30 x 22.17 inches

### Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)

194.7 x 332.4 x 498.3 mm

7.67 x 13.09 x 19.62 inches

### Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)

194.7 x 487.4 x 498.3 mm

7.67 x 19.19 x 19.62 inches

### Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)

46.4 x 294.7 x 489.3 mm

1.83 x 11.60 x 19.26 inches

### Weight Packed (kg / lbs.)

6.8 kg / 15.0 lbs.

### Weight Unpacked (kg / lbs.)

4.9 kg / 10.8 lbs.

### Weight (Monitor Head Only) (kg / lbs.)

3.0 kg / 6.6 lbs.

## What's in the Box

### Monitor with Stand

Yes

### Power Cable (Cable Length)

1 x Power Cable (1.8 m)

### HDMI Cable (Cable Length)

1 x HDMI Cable (1.8 m)

### USB Cable (Cable Length)

1 x USB 3.0 Type-A to Type-B Cable (1.8 m)

### Quick Setup Guide

Yes

### Warranty Booklet

Yes

## Certification

### ENERGY STAR Certification

Yes

### CCC

Yes

### TCO

9.0

### TCO Edge

2.0

### EPEAT

Gold

### Volatile Organic Compound Certification

Yes

### RoHS (2011/65/EU)

Yes

### Windows Certification

Windows 10, Windows 11

### China Energy Efficiency Standard

Tier 1

### TÜV Rheinland Eye Comfort

Yes

### TÜV Rheinland Low Blue Light

Yes

### TÜV Rheinland Flicker Free

Yes

### TÜV Low Blue Light (Hardware Solution)

Yes

### Eyesafe Display Certification

Yes



© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



# THINKVISION T22v

ACHIEVE MORE WITH UNINTERRUPTED COLLABORATION

Lenovo

## PURPOSEFULLY DESIGNED FOR EVERYDAY BUSINESS

Redefine collaboration with the purposefully designed 21.5-inch ThinkVision T22v-20. Designated as one of the Most Efficient ENERGY STAR certified products in 2020, it reduces your carbon footprint while lowering power consumption. A built-in camera, Full-HD display, microphone, and speakers take video conferencing to a whole new level and easy to scale. The integrated IR Camera in conjunction with Windows Hello facial recognition ensures users can safely login without a password. In addition, the ThinkShutter allows users to cover their camera and the Auto Alarm feature notifies users when the camera or microphone is in use—safeguarding user confidentiality and privacy. Lenovo exclusive ThinkColour software<sup>1</sup> lets you effortlessly adjust advanced display settings using the mouse, enhancing efficiency and user experience.




## FEATURES OF THINKVISION T22v-20



### Effortless Collaboration

Enjoy seamless collaboration on the ThinkVision T22v-20, equipped with an FHD camera, dual-array microphones, and stereo speakers that facilitate an enhanced VoIP meeting experience. The 1920 x 1080 screen offers exceptional visual clarity for effective meetings and presentations.



### Uncompromised Security

Privacy is safeguarded with the ThinkShutter that physically covers the camera when not in use. For enhanced privacy, a smart auto-alarm function notifies you if the camera or microphone is in use. The IR camera coupled with Windows Hello ensures secure facial recognition for quick, secure logins.



### Amplified Productivity

An angle-adjustable camera, inbuilt with smart face-tracking technology automatically adjusts the user's face to the center of the screen, optimizing the display for a perfect VoIP meeting. Dedicated speaker and microphone control keys make it easy to toggle audio and video during meetings. Increased lift range and tilt angle on this monitor allow you to adjust it to a comfortable position.

# ThinkVision T22v-20

## DISPLAY

**Panel Size**  
21.5-inch

**Screen Dimensions**  
476.06 mm x 267.79 mm

**Panel Type**  
3-side NearEdgeless  
In-Plane Switching

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.2479 x 0.2479 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
102

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode)  
6ms (Normal Mode)

**Refresh Rate**  
60 Hz

**Brightness (typical)**  
250 cd/m<sup>2</sup>

**Brightness (peak)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (typical)**  
1000:1

**Dynamic Contrast Ratio (typical)**  
3M:1

\*This software can only be used with Windows 10

**Color Gamut**  
72% NTSC (CIE 1931)

**Color Support (typical)**  
16.7 Million

**Anti-glare**  
Yes

## CONNECTIVITY

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2  
1 x VGA

**Audio Signal**  
1 x Audio Combo  
(3.5 mm; in/out)

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen1

**USB Downstream**  
2 x USB 3.2 Gen1 (1 x BC 1.2)

## MULTI-MEDIA

**Integrated Webcam**  
Yes (1080p, IRRGB camera)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## SPECIAL FEATURES

**Software**  
Lenovo ThinkColour (Lenovo Display Control Center)<sup>1</sup>

## POWER

**Power Consumption (Typ./Max)**  
13W / 43W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)**  
10.75W / 33.81kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## MECHANICAL

**Tilt Angle (front/back)**  
-5° / 35°

**Swivel Angle (left/right)**  
+45° / -45°

**Lift (max. range)**  
150 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny support**  
Yes (sold separately)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (side)**  
1.8 mm

**Bezel Width (top/bottom)**  
1.8 / 22.0 mm

## DIMENSION

**Size Packed (D x H x W, mm/inch)**  
390.0 x 187.0 x 577.0 mm  
15.35 x 7.36 x 22.72 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)**  
205.0 x 413.0 x 489.3 mm  
8.07 x 16.26 x 19.26 inches

**Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)**  
205.0 x 563.0 x 489.3 mm  
8.07 x 22.17 x 19.26 inches

**Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)**  
48.3 x 314.4 x 489.3 mm  
1.90 x 12.38 x 19.26 inches

**Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)**  
121.7 mm

**Max. Distance from Table to Panel (highest pixel at top of screen, mm)**  
539.4 mm

**Weight Packed (kg/lbs.)**  
7.22kg / 15.92 lbs.

**Weight Unpacked (kg/lbs.)**  
5.49kg / 12.10 lbs.

**Weight (monitor head only) (kg/lbs.)**  
3.03kg / 6.68 lbs.

**Full Container Load (40' STD/20' STD)**  
1188/550 units

## WHAT'S IN THE BOX

Monitor with stand  
1 x Power cable (1.8 m)  
1 x DP cable (1.8 m)  
1 x USB Type-A to Type-B cable (1.8 m)  
Quick setup guide

## CERTIFICATION

**ENERGY STAR Rating**  
8.0

**CCC**  
Yes

**TCO**  
8.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**RoHS (EU 2002/95/EC)**  
Yes

**Windows Certification**  
Yes

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes



Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2. Enhanced Sign-in Security is not supported.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.




# ThinkVision T23i-30 Monitor

Fully equipped to make a triumph.


Smarter technology for all

Mighty features & comfort that help you achieve more with ease.

The ThinkVision T23i-30 Monitor brings incredible display performance, comfort, convenience, and functionality to your workstation. With a large 23-inch FHD screen this monitor packs an incredible view without taking up excessive desk space. Its In-Plane Switching technology with 72% NTSC color lets you view content with accurate colors and grayscale performance, even from off-center angles, easing multi-person viewing during collaborations. An aesthetic, minimal 3-sided NearEdgeless bezel design delivers functionally too, providing you with a nearly seamless multi-screen experience that helps you view more and do more. Adjust the ThinkVision T23i-30 Monitor to your preference for all-day viewing comfort with the ergonomic stand that not only lets you lift, tilt, and swivel but also pivots the monitor between landscape and portrait views. The Natural Low Blue Light technology keeps your eyes safe, ensuring that eye strain doesn't ever stop you in your tracks, despite long working hours. The extensive connectivity hub unleashes more possibilities by letting you connect to a limitless range of accessories and devices with its VGA, DP 1.2, HDMI 1.4, and Audio Out ports. The monitor is designed to keep you and the environment in mind. That is why it's made to meet the latest TCO 9.0 regulations, and comes encased in recyclable packaging. The ThinkVision T23i-30 Monitor is an innovation devised to assist you in making a wave of success without taking too much space.



## Features of ThinkVision T23i-30 Monitor



### A display of excellence

The ThinkVision T23i-30 Monitor's 23-inch FHD In-Plane Switching display lets you view content in exquisite detail and accurate colors, even from wide viewing angles. Its 72% NTSC color gamut boasts dynamic rich colors. The full-function ergonomic stand lets you lift, tilt, swivel, and pivot the monitor to a perfect angle that's comfortable to view content from all day. While most users would find its lowest height of 150 mm sufficient, you can also take your viewing experience to new heights with a lift range up to 155 mm. And if you prefer optimizing your desk space even further, the ThinkVision T23i-30 Monitor also comes with VESA mounting compatibility.

### Unleash new possibilities

The ThinkVision T23i-30 Monitor redefines power with its elaborate connectivity hub. Connect to a limitless range of devices and accessories with the VGA, DP 1.2, and HDMI 1.4 ports. Extend your view vertically or horizontally and multitask efficiently by attaching additional screens with multi-monitor support. Snap-on your sound system for loud and clear conferences by connecting them directly to the monitor's Audio Out port. Can't wait to get things done? You won't have to with the four speedy USB 3.0 ports that let you transfer several large files in no time.

### Made with care, to care

Personalize the ThinkVision T23i-30 Monitor by customizing the settings to your preference with the easy-to-use one-button joystick, conveniently placed behind the monitor. The monitor's Natural Low Blue Light technology reduces blue light emission to care for your eyes ensuring superior color accuracy while TÜV Rheinland Eye Comfort certification ensures you experience no visual strain. Designed to care for the planet too, the ThinkVision T23i-30 is made following the latest TCO 9.0 regulations. But that's not all. In an effort to conserve the environment along every step of our process, the monitor is packed with recyclable paper pulp.

# ThinkVision T23i-30 Monitor

## Display

### Panel Size

23-inch

### Screen Dimensions

517.2 mm x 290.4 mm

### Panel Type

3-side NearEdgeless In-Plane Switching

### Active Area

509.1 mm x 286.4 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.265 mm x 0.265 mm

### Dot/Pixel Per Inch (DPI/PPI)

96

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode),  
6ms (Normal Mode), 14ms (Off Mode)

### Refresh Rate

60Hz

### Brightness (Typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (Typical)

1000:1

### Dynamic Contrast Ratio (Typical)

3M:1

### Color Gamut (Coverage Ratio)

72% NTSC (CIE 1931)

### Color Support (Typical)

16.7 Million

### Color Depth

8-bit (6+FRC)

### Anti-Glare

Yes

## Connectivity

### Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

### Audio Signal

1 x Audio Out (3.5 mm)

### USB Hub

Yes

### USB Upstream

1 x USB 3.0 Type-B

### USB Downstream

4 x USB 3.0 Type-A

## Special Features

### Software

Lenovo ThinkColour (Lenovo Display Control Center)\*

### Natural Low Blue Light

Yes

## Power

### Power Consumption (Typ. / Max.)

15W / 48W

### Power Consumption Sleep/Off Mode

< 0.5W

### Power Consumption Switch-Off Mode

< 0.3W

### ENERGY STAR Power Consumption

(Pon/E<sub>TEC</sub>)

11.88W / 37.05kWh

### Power Supply

Internal

### Voltage Required

AC 90 to 264 V (50-60Hz)

## Mechanical

### Tilt Angle (Front / Back)

-5° / 23.5°

### Swivel Angle (Left / Right)

+45° / -45°

### Lift (Max. Range)

155 mm

### Pivot

-90° / 90°

### VESA Mount Capability

Yes (100 x 100 mm)

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (Side)

2.0 mm

### Bezel Width (Top / Bottom)

2.0 / 17.3 mm

## Dimension

### Size Packed

(D x H x W) (mm/inch)

150.0 x 421.0 x 592.0 mm

5.91 x 16.57 x 23.31 inches

### Size Unpacked w/ Stand

(Lowest Position)

(D x H x W) (mm/inch)

199.7 x 338.8 x 522.0 mm

7.86 x 13.34 x 20.55 inches

### Size Unpacked w/ Stand

(Highest Position)

(D x H x W) (mm/inch)

199.7 x 493.8 x 522.0 mm

7.86 x 19.44 x 20.55 inches

### Size Unpacked w/o Stand

(Head Only) (D x H x W) (mm/inch)

46.4 x 313.1 x 522.0 mm

1.83 x 12.33 x 20.55 inches

### Weight Packed (kg / lbs.)

7.3 kg / 16.1 lbs.

### Weight Unpacked (kg / lbs.)

5.2 kg / 11.5 lbs.

### Weight (Monitor Head Only) (kg / lbs.)

3.2 kg / 7.1 lbs.

## What's in the Box

### Monitor with Stand

Yes

### Power Cable (Cable Length)

1 x Power Cable (1.8 m)

### HDMI Cable (Cable Length)

1 x HDMI Cable (1.8 m)

### USB Cable (Cable Length)

1 x USB 3.0 Type-A to Type-B Cable (1.8 m)

### Quick Setup Guide

Yes

### Warranty Booklet

Yes

## Certification

### ENERGY STAR Certification

Yes

### CCC

Yes

### TCO

9.0

### TCO Edge

2.0

### EPEAT

Gold

### Volatile Organic Compound Certification

Yes

### RoHS (2011/65/EU)

Yes

### Windows Certification

Windows 10, Windows 11

### China Energy Efficiency Standard

Tier 1

### TÜV Rheinland Eye Comfort

Yes

### TÜV Rheinland Low Blue Light

Yes

### TÜV Rheinland Flicker Free

Yes

### TÜV Low Blue Light (Hardware Solution)

Yes

### Eyesafe Display Certification

Yes



\* This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



# ThinkVision T24i-30 Monitor

Inspired by design.  
Designed to inspire.

Smarter  
technology  
for all

Stunning power to get you ahead.


Locked and loaded with a whole lot of innovation, the ThinkVision T24i-30 Monitor is powered to help you seize every day. This ample 23.8-inch FHD IPS screen with a wide color gamut of 99% sRGB makes its vibrancy and color accuracy a delight to look at even from wide angles. You can adjust the monitor for a more convenient and enjoyable viewing experience with the ergonomic stand's tilt, lift, swivel, and pivot functions. Or simply VESA mounts it to save more desk space. With 90% screen real estate, it's built with a 3-side NearEdgeless bezel design, so your view has fewer distractions and more of what needs to be seen. Integrated Natural Low Blue Light technology reduces toxic blue light while delivering high-fidelity colors. In addition, the ThinkVision T24i-30 Monitor's TÜV Rheinland Eye Comfort certification, lets you do more by protecting your eyes from fatigue even during long hours at work. Take functionality to a whole new level by connecting an endless list of devices compatible with the connectivity hub, including VGA, DP 1.2, HDMI 1.4, and four USB 3.0 ports. Connect your external sound systems conveniently with the Audio Out port. You can also view more data and multitask more efficiently with multi-monitor support. This monitor packs a world of features without impacting the environment by following the latest TCO 9.0 regulations. The ThinkVision T24i-30 Monitor is a powerhouse built to make working a pleasure.

## Features of ThinkVision T24i-30 Monitor



### Envision the brilliance

It's easy to admire the ThinkVision T24i-30 Monitor's vivid and dynamic picture quality from any angle with its FHD IPS display. The 99% sRGB color gamut brings to life brilliant color accuracy, especially important when dealing with visual tasks. With the ergonomic stand, you can lift, tilt, swivel, and pivot the monitor conveniently for a comfortable viewing experience, that's convenient especially while collaborating. Its lift range, at 155 mm, is comfortable for most users. At its lowest position, the ThinkVision T24i-30 Monitor is designed to enhance your comfort every minute of the day.



### Extensive connectivity

Widen your horizons by plugging an extensive range of devices and accessories into the ThinkVision T24i-30 Monitor, with a comprehensive range of ports, including VGA, DP 1.2, and HDMI 1.4. Customize your audio experience for shared meetings and content by plugging your external audio systems with the Audio Out port. Need to import or export large files? No problem. The four USB 3.0 ports allow you to transfer data at a super speed of 5 Gbps so that nothing slows you down. The ThinkVision T24i-30 Monitor lets you do more by expanding your view vertically or horizontally by connecting additional screens with multi-monitor support.



### Environment-friendly. User-friendly.

Navigate and customize the ThinkVision T24i-30 Monitor's settings to your preferred settings with the easy-to-use joystick placed behind the screen. The monitor features Natural Low Blue Light technology reducing harmful blue light without compromising high color fidelity. TÜV Rheinland Eye Comfort certification keeps your vision refreshed and fatigue-free even after hours of work. This monitor brings you the best features with minimal impact on the environment throughout its lifecycle. It's made in compliance with the latest TCO 9.0 regulations and made with 90% recyclable materials and is fully packaged using paper pulp, to protect the planet.

# ThinkVision T24i-30 Monitor

## Display

### Panel Size

23.8-inch

### Screen Dimensions

535.0 mm x 313.0 mm

### Panel Type

3-side NearEdgeless In-Plane Switching

### Active Area

527.0 mm x 296.5 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.275 mm x 0.275 mm

### Dot/Pixel Per Inch (DPI/PPI)

93

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode), 6ms (Normal Mode)

### Refresh Rate

60Hz

### Brightness (Typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (Typical)

1000:1

### Dynamic Contrast Ratio (Typical)

3M:1

### Color Gamut (Coverage Ratio)

99% sRGB

### Color Gamut (Color Area Ratio)

110% sRGB

### Color Support (Typical)

16.7 Million

### Color Depth

6-bit (Hi+FRC)

### Anti-glare

Yes

## Connectivity

### Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

### Audio Signal

1 x Audio Out (3.5 mm)

### USB Hub

Yes

### USB Upstream

1 x USB 3.0

### USB Downstream

4 x USB 3.0

## Special Features

### Software

Lenovo ThinkColour (Lenovo Display Control Center)\*

### Natural Low Blue Light

Yes

## Power

### Power Consumption (Typ. / Max.)

14W / 51W

### Power Consumption Sleep/Off Mode

< 0.5W

### Power Consumption Switch-Off Mode

< 0.3W

### ENERGY STAR Power Consumption (Pon/E<sub>TEC</sub>)

12W / 38kWh

### Power Supply

Internal

### Voltage Required

AC 100 to 240 V (50-60Hz)

## Mechanical

### Tilt Angle (Front / Back)

-5° / 23.5°

### Swivel Angle (Left / Right)

-45° / 45°

### Lift (Max. Range)

155 mm

### Pivot

-90° / 90°

### VESA Mount Capability

Yes (100 x 100 mm)

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (Side)

2.0 mm

### Bezel Width (Top / Bottom)

2.0 mm / 17.1 mm

## Dimension

### Size Packed

(D x H x W) (mm/inch)

152.0 x 422.0 x 592.0 mm

5.98 x 16.61 x 23.31 inches

### Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)

199.7 x 349.8 x 539.8 mm

7.86 x 13.77 x 21.25 inches

### Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)

199.7 x 504.8 x 539.8 mm

7.86 x 19.87 x 21.25 inches

### Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)

49.0 x 321.4 x 539.8 mm

1.93 x 12.65 x 21.25 inches

### Weight Packed (kg / lbs.)

7.8 kg / 17.2 lbs.

### Weight Unpacked (kg / lbs.)

5.4 kg / 11.9 lbs.

### Weight (Monitor Head Only) (kg / lbs.)

3.4 kg / 7.5 lbs.

## What's in the Box

### Monitor with Stand

Yes

### Power Cable (Cable Length)

1 x Power Cable (for standalone 1.8m)

### HDMI Cable (Cable Length)

1 x HDMI Cable (1.8m)

### USB Cable (Cable Length)

1 x USB Type-A to Type-B (1.8m)

### Quick Setup Guide

Yes

### Warranty Booklet

Yes

## Certification

### ENERGY STAR Certification

Yes

### CCC

Yes

### TCO

9.0

### TCO Edge

2.0

### EPEAT

Gold

### Volatile Organic Compound Certification

Yes

### RoHS (2011/65/EU)

Yes

### Windows Certification

Windows 10, Windows 11

### China Energy Efficiency Standard

Tier 1

### TÜV Rheinland Low Blue Light

Yes

### TÜV Rheinland Flicker Free


Yes

### TÜV Low Blue Light (Hardware Solution)

Yes

### Eyesafe Display Certification

Yes



Smarter  
technology  
for all

Lenovo

\* This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.



## ThinkVision T24v-30 Monitor

**Focused on remote collaboration. Fine-tuned for productivity!**

**Smarter technology for all**

A fun go-getter for the home and office.

The ThinkVision T24v-30 Monitor is the perfect companion for work - especially when you need to collaborate with your teams remotely! Its 23.8-inch borderless screen size ensures that you have a monitor that's compact but still gives you enough screen real estate to view two windows side by side. You'll always get a clear view of the screen, irrespective of where you're sitting, with the In-Plane Switching panel that affords wider viewing angles with no distortion. Work documents and video content always look clear and crisp, thanks to the FHD resolution. Two noise-cancellation microphones, coupled with two 3W speakers ensure that all your video conferences and meetings run without any hiccups! Connecting your computer to your ThinkVision T24v-30 Monitor will never be a problem, thanks to a variety of input options - 1 x VGA, 1 x HDMI 1.4, and 1 x DP 1.2. Getting to your work has never been as seamless, with the Windows Hello Facial Recognition feature made available by the IR+RGB camera, while the 2MP, 1920 x 1080 resolution camera ensures that you always look crystal-clear to all your colleagues. Plugging in and accessing your peripherals and storage devices gets swifter, with the in-built USB hub that offers four USB Type-A ports. The LTPS stand allows for more flexibility as its lift, tilt, pivot, and swivel functions make all the adjustments to ensure you're always in your most comfortable posture. Ensuring that your eyes experience no strain while you work is important, and that's taken care of by our Natural Low Blue Light technology. Additionally, your privacy is kept front and center, with a privacy shutter that covers the camera. The ThinkVision T24v-30 Monitor helps you get all your work done with supreme ease, whether at home or at the office!

## Features of ThinkVision T24v-30 Monitor



### Prepped for productivity

The ThinkVision T24v-30 Monitor's 23.8-inch screen gives you a compact display to work with while the borderless design not only gives the monitor a contemporary look but also increases the overall screen real estate. The In-Plane Switching panel allows for clarity no matter the angle you are viewing it from.

### Tech that's tailored for remote work

Remote official video meetings have never been as simple and clear, with the in-built microphones, speakers, and 1080p front camera on the ThinkVision T24v-30 Monitor. Attaching peripherals to boost productivity is easier than ever, using side-mounted USB-A ports. Getting to work needs no waiting, as the ultra-fast login supported by Windows Hello Facial Recognition gets you going in a flash.

### Ergonomics that boost productivity

Getting your setup just right goes a long way in boosting productivity, and that's exactly what you can do with the lift, tilt, pivot, and swivel functions that allow you to adjust the ThinkVision T24v-30 Monitor to suit your comfort. Additionally, the monitor's Natural Low Blue Light technology protects your eyes from harmful blue light without any color distortion.

# ThinkVision T24v-30 Monitor

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
527.0 mm x 296.5 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.274 mm x 0.274 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
75Hz<sup>1</sup>

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x HDMI 1.4  
1 x DP 1.2  
1 x VGA

**Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)

**USB Hub**  
Yes

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-B

**USB Downstream**  
3 x USB 3.2 Gen 1<sup>2</sup> Type-A  
1 x USB 2.0 Type-A

## Multimedia

**Integrated Webcam**  
Yes (1920 x 1080, 2MP, IR+RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 3W)

## Special Features

**Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>3</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
18.0W / 60.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon / E<sub>TEC</sub>)**  
13.0W / 41.1kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket  
Mounting Kit III (PN: 4XFIK72399)<sup>4</sup>

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
178.0 x 422.0 x 590.0 mm  
7.01 x 16.61 x 23.23 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
199.7 x 542.8 x 539.8 mm  
7.86 x 21.37 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
199.7 x 387.8 x 539.8 mm  
7.86 x 15.27 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 363.3 x 539.8 mm  
2.12 x 14.30 x 21.25 inches

**Weight Packed (kg / lbs.)**  
8.5 kg / 18.7 lbs

**Weight Unpacked (kg / lbs.)**  
6.0 kg / 13.2 lbs

**Weight (Monitor Head Only) (kg / lbs.)**  
4.0 kg / 8.8 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**DP Cable (Cable Length)**  
1 x DP Cable (1.8m, for EMEA/LA/AP<sup>5</sup>)

**HDMI Cable (Cable Length)**  
1 x HDMI Cable (1.8m) (for NA<sup>6</sup>)

**USB Cable (Cable Length)**  
1 x USB Type-A to Type-B Cable (1.8m)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-E)

**China Energy Efficiency Standard**  
Yes

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> HDMI and DP only. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>4</sup> Sold separately. | <sup>5</sup> EMEA - Europe, Middle East, and Africa, LA - Latin America, AP - Asia-Pacific region. | <sup>6</sup> NA - North America.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



# ThinkVision T24mv-30 Monitor

## Remote collaborations, now clearer than ever.

Smarter technology for all

Microsoft Teams certified VoIP monitor that's made for meetings.

If you're looking to get some serious work done, then the ThinkVision T24mv-30 Monitor is the perfect companion for you! This Microsoft Teams certified monitor is designed to make your online collaboration experience as streamlined as possible. While it seems compact from the outside, its 23.8-inch borderless screen ensures that you have enough screen space to view two windows side by side. The in-built Teams button gets you to your meetings with the click of a button. The In-Plane Switching panel provides a distortion-free view of your display no matter which angle they view it from. Sharp FHD resolution ensures that everything on display looks crisp and completely clear, whether it's documents or your colleagues in a video meeting. Two noise-cancellation microphones, coupled with two 5W speakers and the VoIP feature ensure that all your video conferences and meetings run without any hiccups! In addition to the variety of input options, the DP Out on the ThinkVision T24mv-30 Monitor lets you daisy chain another display to get twice the screen real estate. The Windows Hello Facial Recognition feature supported by the IR+RGB camera makes logging into work a breeze, while the 5MP camera ensures that you always look crystal-clear in all your meetings. Four USB 3.2 Gen 1\* Type-A ports give you the flexibility to connect all your preferred accessories and storage devices. During long hours of work, the Natural Low Blue Light technology protects your eyes from harmful blue light without any color distortion. Getting the monitor to your preferred ergonomic position is now possible with the flexible LTPS stand, which allows you to lift, tilt, pivot, and swivel the monitor. Additionally, the new integrated smart sensor helps the monitor improve your user experience by alerting you if you're sitting too close, reminding you to walk frequently, and turning off the screen when you leave. The ThinkVision T24mv-30 Monitor truly brings out the best in you and ensures that all your remote work is supported by crystal-clear audio and high-resolution visuals.

## Features of ThinkVision T24mv-30 Monitor



### Begin work in an instant

The Windows Hello Facial Recognition feature on the ThinkVision T24mv-30 Monitor allows you to get to work almost instantaneously, using the IR+RGB camera. Now you can connect your computer to the monitor with a single cable, allowing you to achieve a cleaner setup. Changing the monitor's settings is made easy with the hook switch, volume control, and mute buttons.



### Made for remote meetings

The 5MP camera on this Microsoft Teams certified monitor ensures that you look sharp in all your video meetings, while the two Environmental Noise Cancellation microphones and the VoIP functionality ensure that you sound crystal clear! The in-built dual 5W speakers produce clear stereo sound so that you never miss a word of what's said in any meeting. Getting to meetings has also never been easier, thanks to the dedicated Teams button on your ThinkVision T24mv-30 Monitor.



### A monitor that's smart

The new smart sensor helps the ThinkVision T24mv-30 Monitor care for your well-being. It can alert you when you're sitting way too close to the screen and when you've been sitting for a long. Additionally, it can even turn off the monitor when it senses that you're away, granting you some additional privacy. The LTPS stand lets you lift, tilt, pivot, and swivel the monitor so it makes all the adjustments needed to keep you comfortable.

\* Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

# ThinkVision T24mv-30 Monitor

## Display

**Panel Size**  
23.8-inch

**Screen Dimensions**  
535.0 mm x 313.0 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
527.0 mm x 296.5 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.274 mm x 0.274 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
93

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
75Hz

**Brightness (Typical)**  
250 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-glare**  
Yes

## Connectivity

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1  
1 x DP 1.4  
1 x DP Out

**Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-C<sup>1</sup> (90W)

**USB Downstream**  
4 x USB 3.2 Gen 1<sup>2</sup> Type-A

## Multimedia

**Integrated Webcam**  
Yes (2592 x 1944, 5MP, IR+RGB)

**Integrated Microphone**  
Yes

**Integrated Speakers**  
Yes (2 x 5W)

## Special Features

**Software**  
Lenovo ThinkColour (Lenovo Display Control Center)<sup>3</sup>

**Smart Sensor**  
Yes (Auto Ambient Brightness Sensor, Human Detection Sensor)

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
24.5W / 160.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon / ETEC)**  
14.3W / 48.2kWh

**Power Supply**  
Internal

**USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>4</sup>**  
Up to 90W

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket Mounting Kit III (PN: 4XFIK72399)<sup>5</sup>

**Kensington Lock Slot**  
Yes

**Headphone Hook**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
178.0 x 422.0 x 590.0 mm  
7.01 x 16.61 x 23.23 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
199.7 x 542.8 x 539.8 mm  
7.86 x 21.37 x 21.25 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
199.7 x 387.8 x 539.8 mm  
7.86 x 15.27 x 21.25 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 363.3 x 539.8 mm  
2.12 x 14.30 x 21.25 inches

**Weight Packed (kg / lbs.)**  
8.6 kg / 19.0 lbs

**Weight Unpacked (kg / lbs.)**  
6.5 kg / 14.3 lbs

**Weight (Monitor Head Only) (kg / lbs.)**  
4.5 kg / 9.9 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8 m)

**Quick Setup Guide**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**EU Energy Level Certification**  
Yes (Level-E)

**China Energy Efficiency Standard**  
Yes

**Microsoft Teams Certification**  
Yes

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen 2x2. | <sup>3</sup> This software can only be used with Windows 10 & Windows 11. | <sup>4</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>5</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



# ThinkVision T24m-29 Monitor

## Dazzling display performance. Incredible functionality.

Powerful display performance that supercharges your work.

The ThinkVision T24m-29 is a monitor that works harder, to bring easy connectivity and effortless management to your business. Sit back and take in the wide 23.8-inch screen, made more expansive with 3-side NearEdgeless bezels and an FHD In-Plane Switching panel. Daisy-chain the monitor via a DP-Out port, for an uninterrupted viewing plane and get set to multitask with a multi-monitor assembly. Equipped with USB Type-C<sup>1</sup> technology, the ThinkVision T24m-29 Monitor offers a one-cable solution for super-fast transfer speeds. An ethernet port enables remote management for safe, dependable connectivity that supports seamless workflow. Nifty ergonomics, a space-efficient clutter-free design and integrated 2 x 1W speakers add efficiency, ease, and comfort. Natural Low Blue Light technology eliminates sepia-toned images to protect your vision so you can dedicate more time to your tasks without straining your eyes. What's more, you'll be pleased to know that the ThinkVision T24m-29 Monitor is designed to be environmentally friendly throughout its lifetime as it comes with sustainable pulp-cushion packaging.



### KEY FEATURES OF THINKVISION T24m-29 MONITOR



Multitask with multi-monitor assembly through Daisy-chaining.


#### Made for multitasking

ThinkVision T24m-29 Monitor boasts superior visual clarity and remarkable color consistency through a 1920 x 1080 FHD resolution display. Get ready for a distortion-free wide-viewing angle of up to 178° with an In-Plane Switching panel. Daisy-chain multiple devices and let the monitor's 3-side NearEdgeless bezels give you an expansive, seamless multitasking experience. Let the monitor's Smart Power<sup>2</sup> allow for effortless plug-and-play functionality, as it dynamically detects and optimizes power distribution when multiple devices like monitors, laptops, or other USB-powered peripherals are connected.



#### Convenient, comfortable, and compatible

The ThinkVision T24m-29 Monitor features a wobble-free stand with a wider lift range and tilt angle for ergonomic ease and working comfort. A compact square base fitted with a thoughtful phone holder offers enhanced convenience and frees up space on your desk. Integrated 2 x 1W speakers and clever cable management cut the clutter for a sleek look. Sit back and enjoy the convenience of an intuitive user interface provided by Lenovo exclusive software ThinkColour<sup>3</sup>, which offers access to advanced display settings through an effortless and efficient user interface.



#### Connectivity your business can bank on

Let your business get way head, faster. Make the best of high-speed data transfers with the ThinkVision T24m-29 Monitor's full-function USB Type-C<sup>1</sup> port that affords single-cable connectivity for data, video, audio, and power transfer. The ethernet port (RJ45) lets you enjoy safer, quicker remote management capabilities with PXE, WOL, and Mac Address Pass Through (MAPT) support. Free up much-needed desk space with USB Type-C<sup>1</sup> with DP-Out. The ThinkVision T24m-29 Monitor also offers multiple connectivity options with USB Type-C<sup>1</sup>, HDMI, and DisplayPort that enable unfettered ease.

<sup>1</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum. | <sup>2</sup> The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. | <sup>3</sup> This software can only be used with Windows 10 and Windows 11.

# ThinkVision T24m-29

## DISPLAY

### Panel Size

23.8-inch

### Screen Dimensions

535.1 mm x 313.1 mm

### Panel Type

3-side NearEdgeless  
In-Plane Switching

### Active Area

527.0 mm x 296.5 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

1920 x 1080

### Pixel Pitch

0.275 mm x 0.275 mm

### Dot/Pixel Per Inch (DPI/PPI)

93

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode),  
6ms (Normal Mode)

### Refresh Rate

60 Hz

### Brightness (Typical)

250 cd/m<sup>2</sup>

### Contrast Ratio (Typical)

1000:1

### Dynamic Contrast Ratio (Typical)

3M:1

### Color Gamut (Coverage Ratio)

72% NTSC (CIE 1931)

### Color Support (Typical)

16.7 Million

### Color Depth

8-bit (6+FRC)

### Anti-Glare

Yes

## CONNECTIVITY

### Video Signal

1 x USB Type-C<sup>1</sup> Gen1 (DP1.2 Alt Mode)  
1 x HDMI 1.4  
1 x DP 1.2  
1 x DP Out

### Audio Signal

1 x Audio Out (3.5 mm)

### USB Hub

Yes

### Ethernet

Yes (10M/100M/1000M)

### USB Upstream

1 x USB3.2 Gen1<sup>2</sup> (1 by USB Type-C<sup>1</sup>)

### USB Downstream

4 x USB3.2 Gen1<sup>2</sup> (1 x BC1.2)

## MULTIMEDIA

### Integrated Speakers

Yes (2 x 1W)

## SPECIAL FEATURES

### Software

Lenovo ThinkColour<sup>3</sup>  
(Lenovo Display Control Center)

## POWER

### Power Consumption (Typ. / Max.)

22W / 140W

### Power Consumption Sleep/Off Mode

< 0.5W<sup>4</sup>

### Power Consumption Switch-Off Mode

< 0.3W

### ENERGY STAR Power Consumption (Pon/E<sub>TEC</sub>)

15W / 49kWh

### Power Supply

Internal

### USB Type-C<sup>1</sup> (DP Alt Mode)

#### Power Delivery

Up to 90W<sup>5</sup>

#### Smart Power<sup>6</sup>

Yes

#### Voltage Required

AC 90 to 264 V (50-60 Hz)

## MECHANICAL

### Tilt Angle (Front / Back)

-5° / 35°

### Swivel Angle (Left / Right)

-45° / 45°

### Lift Range

150 mm

### Pivot

-90° / 90°

### VESA Mount Capability

Yes (100 x 100 mm)

### ThinkCentre M Series Tiny Support

Yes, by Tiny Monitor Clamp II  
(PN: 4XH0Z42451)<sup>7</sup> & Tiny VESA  
Mount II (PN: 4XF0N03161)<sup>7</sup>

### ThinkCentre M Series Nano Support

Yes, by Nano Monitor Clamp II  
(PN: 4XH0Z42451)<sup>7</sup> & Nano VESA  
Mount (PN: 4XFOV81630)<sup>7</sup>

### Kensington Lock Slot

Yes

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (Side)

2.0 mm

### Bezel Width (Top / Bottom)

2.0 / 22.0 mm

## DIMENSION

### Size Packed

(D x H x W) (mm/inch)

161.0 x 480.0 x 604.0 mm  
6.34 X 18.89 X 23.78 inches

### Size Unpacked w/ Stand

(Lowest Position)

(D x H x W) (mm/inch)

204.9 x 417.1 x 539.8 mm  
8.09 x 16.42 x 21.25 inches

### Size Unpacked w/ Stand

(Highest Position)

(D x H x W) (mm/inch)

204.9 x 567.1 x 539.8 mm  
8.09 x 22.33 x 21.25 inches

### Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)

44.4 x 325.9 x 539.8 mm  
1.75 x 12.83 x 21.25 inches

### Weight Packed (kg / lb)

8.9 kg / 19.7 lbs.

### Weight Unpacked (kg / lb)

6.1 kg / 13.5 lbs.

### Weight (Monitor Head Only) (kg / lb)

3.6 kg / 8.0 lbs.

## WHAT'S IN THE BOX

### Monitor with Stand

Yes

### Power Cable (Cable Length)

1 x Power Cable (1.8m)

### USB Cable (Cable Length)

1 x USB Type-C to Type-C Cable (1.8m)

### Quick Setup Guide

Yes

## CERTIFICATION

### ENERGY STAR Certification

Yes

### TCO

9.0

### EPEAT

Gold

### RoHS (EU 2011/65/EC)

Yes

### Windows Certification

Windows 10, Windows 11

### TÜV Rheinland Eye Comfort

Yes

### TÜV Rheinland Flicker Free

Yes

### TÜV Low Blue Light

(Hardware Solution)

Yes

### Eyesafe Display Certification

Yes



eyesafe

<sup>1</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> This software can only be used with Windows 10 and Windows 11. | <sup>4</sup> For DP/HDMI mode. | <sup>5</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>6</sup> The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. | <sup>7</sup> Sold separately.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.





## ThinkVision T27i-30 Monitor

### Big on comfort. Big on productivity.

Amplify productivity with complete connectivity.

The ThinkVision T27i-30 Monitor is carefully configured with features that deliver better connectivity, enhance your productivity, and ensure your comfort. This large screen 27-inch FHD monitor offers a resolution of 1920 x 1080 pixels with a wide viewing angle for clear, crisp on-screen content. Expect rich, vibrant colors with 99% sRGB that sharpens the display and is great for video producers and film animators. Long hours at the screen can cause eye fatigue but not with the ThinkVision T27i-30 Monitor which has Natural Low Blue Light technology that cuts down harmful blue light to give your eyes a comfortable, strain-free experience. The monitor hosts a range of versatile connectors for extended usage with VGA, HDMI 1.4, DP 1.2 ports and a USB Hub. Say hello to great video conferencing<sup>1</sup> capabilities as with this monitor's expandable functions. A full-function ergonomic stand allows for greater flexibility, with a wider adjustment range and low head position so you can set up the monitor to suit your comfort. What's more, you'll be delighted to know that the ThinkVision T27i-30 Monitor comes in an eco-friendly paper-pulp packaging that's great for the environment.

### KEY FEATURES OF THINKVISION T27i-30 MONITOR



#### A treat for your eyes

The ThinkVision T27i-30 Monitor's IPS display is a treat for your eyes with an ultra-wide viewing angle that delivers high color accuracy and image quality. This large 27-inch monitor feels even bigger with 3-side borderless bezels. Rich display quality is enhanced with 99% sRGB color for an impressive viewing experience. Comfort is key with the ThinkVision T27i-30 Monitor with Natural Low Blue Light technology which helps to minimize visual fatigue and strain, so your eyes are protected.



#### Plug in to productivity

You won't miss a beat with the ThinkVision T27i-30 Monitor. A range of connectivity options from VGA and HDMI 1.4 ports to DP 1.2 ports ensure you're always ready to plug in and perform. Take advantage of the monitor's four USB 3.2 Gen 1<sup>2</sup> ports for easy extension of USB devices. A dedicated USB port for modular VoIP solution - ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam<sup>1</sup> enables incredible video conferencing experiences. Enjoy easy and effortless access to configuration settings with the updated ThinkColour software<sup>3</sup>. The ThinkVision T27i-30 is geared to ensure incredible connectivity that amplifies your productivity.



#### User-friendly and eco-friendly

Enjoy an upgraded user experience that makes comfort and ease a priority with the ThinkVision T27i-30 Monitor. Save space and reduce clutter with cleaner cable management. Joystick control puts easy control at your fingertips. A full-function ergonomic stand with wider adjustable ranges including lift range and tilt ensure that you can position the monitor perfectly for your comfort. ThinkVision T27i-30 Monitor also supports cableless modular VoIP solution<sup>1</sup> and a phone holder for enhanced flexibility. It is also eco-friendly with sustainable paper pulp packaging that's great for the environment!

<sup>1</sup> Modular VoIP solution (ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam) is sold separately.

<sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

<sup>3</sup> This software can only be used with Windows 10 & Windows 11.

# ThinkVision T27i-30 Monitor

## DISPLAY

**Panel Size**  
27-inch

**Screen Dimensions**  
607.1 mm x 354.1 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
597.9 mm x 336.3 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
1920 x 1080

**Pixel Pitch**  
0.3114 mm x 0.3114 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
82

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode), 14ms (Off Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical)**  
300 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB (CIE 1931)

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit (6+FRC)

**Anti-Glare**  
Yes

## CONNECTIVITY

**Video Signal**

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

**Audio Signal**

1 x Audio Out (3.5 mm)

**USB Hub**

Yes

**USB Upstream**

1 x USB 3.2 Gen 1<sup>1</sup> (by USB Type-B)

**USB Downstream**

4 x USB 3.2 Gen1<sup>1</sup> (1 x BC 1.2)

## SPECIAL FEATURES

**Software**

Lenovo ThinkColour  
(Lenovo Display Control Center)<sup>2</sup>

**Natural Low Blue Light**

Yes

**Modular Camera/Speaker Support**

Yes (Optional Support<sup>3</sup>)

## POWER

**Power Consumption (Typ. / Max.)**  
24W / 65W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption  
(P<sub>on</sub>/E<sub>tec</sub>)**  
15W / 50kWh

**Power Supply**  
Internal

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## MECHANICAL

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
+45° / -45°

**Lift Range**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 17.6 mm

## DIMENSION

**Size Packed  
(D x H x W) (mm/inch)**  
525.0 x 148.0 x 690.0 mm  
20.67 x 5.83 x 21.17 inches

**Size Unpacked w/ Stand  
(Lowest Position)  
(D x H x W) (mm/inch)**  
204.5 x 390.3 x 611.9 mm  
8.05 x 15.37 x 24.09 inches

**Size Unpacked w/ Stand  
(Highest Position)  
(D x H x W) (mm/inch)**  
204.5 x 544.3 x 611.9 mm  
8.05 x 21.43 x 24.09 inches

**Size Unpacked w/o Stand  
(Head Only)  
(D x H x W) (mm/inch)**  
50.0 x 362.5 x 611.9 mm  
1.97 x 14.27 x 24.09 inches

**Weight Packed (kg / lb)**  
10.1 kg / 22.3 lbs.

**Weight Unpacked (kg / lb)**  
6.9 kg / 15.2 lbs.

**Weight (Monitor Head Only) (kg / lb)**  
4.9 kg / 10.8 lbs.

## WHAT'S IN THE BOX

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8m)

**DP Cable (Cable Length)**  
1 x DP 1.2 Cable (1.8m)

**USB Cable (Cable Length)**  
1 x USB Type-A to Type-B Cable (1.8m)

**Quick Setup Guide**  
Yes

## CERTIFICATION

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
Yes

**TCO Edge**  
Yes

**EPEAT**  
Gold

**RoHS**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**China Energy Efficiency Standard**  
Tier 2

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light  
(Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes



<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

<sup>2</sup> This software can only be used with Windows 10 & Windows 11. | <sup>3</sup> Modular VoIP solution (ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam) is sold separately.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.



## ThinkVision T27h-30 Monitor

# Brilliant visual clarity. Incredibly powerful performance.

More power for productivity.

The ThinkVision T27h-30 Monitor features an incredibly brilliant display that powers your productivity in every way. It boasts a 27-inch IPS monitor with QHD resolution that reveals vivid, life-like details powered by 99% sRGB color. Natural Low Blue Light technology is always on, cutting down harmful blue light to care for your eyes. A USB Type-C<sup>1</sup> port offers excellent connectivity, as do an HDMI 2.0 port, ethernet, DP 1.4 In and DP Out ports. Looking for a multi-screen experience that won't let you down? Then daisy-chain the ThinkVision T27h-30 Monitor. Its 3-side borderless display minimizes the gaps between screens to give you a near seamless multi-screen experience. The ThinkVision T27h-30 Monitor also includes expandable functions that support video conferencing. Top it all off with thoughtful ergonomic design that facilitates wider adjustments for your comfort. While the ThinkVision T27h-30 powers your performance and cares for your comfort, it cares for the environment too with eco-friendly paper pulp packaging that's easily recycled and designed to reduce your carbon footprint. The ThinkVision T27h-30 is great for you and the planet too!

## KEY FEATURES OF THINKVISION T27h-30 MONITOR



### Prepare for visual delight

The ThinkVision T27h-30 Monitor's 27-inch 2560 x 1440 resolution QHD monitor delivers a stunning and delightfully vibrant visual experience. Its In-Plane Switching panel display offers impeccable visual clarity over a wider range of viewing angles. Graphic designers and digital creators will love this monitor's incredible image and video clarity. Easy multi-screen capabilities and a 3-side borderless display minimizes borders for uninterrupted viewing across multiple screens so you can multitask more efficiently, swiftly, and easily. The ThinkVision T27h-30 Monitor is a delight for the eyes, with Natural Low Blue Light technology that cuts down harmful blue light to reduce visual fatigue and strain.



### Power-up your productivity

Enjoy a seamless multi-monitor experience as the ThinkVision T27h-30 Monitor is all geared up for daisy chaining. Powerful connectivity options are brought to life through the monitor's one cable USB Type-C<sup>1</sup> docking solution with a Smart Power<sup>2</sup> function that offers up to 90W power delivery. Ethernet and USB hub ports ensure you are always plugged into the action. Access speedy and secure network connectivity with an ethernet port that supports MAPT, PXE, and WOL (S3-S5)<sup>3</sup>. Also manage and adjust display settings with Lenovo's ThinkColour software<sup>4</sup>. All-in-all the ThinkVision T27h-30 Monitor is built to maximize productivity swiftly and easily.



### User-friendly and eco-friendly

The ThinkVision T27h-30 Monitor is packed to the hilt with features that enhance comfort. Step up to an elevated user experience and an ergonomically designed full-function stand that affords wider adjustability, increased lift range and height adjustment for incredible comfort. Easy control with a joystick and On Screen Display features, allows fluid access to settings for quick adjustments. Clever cable management makes sure your desk stays clean and clutter-free. The monitor has a dedicated USB Type-A port that supports modular VoIP solution<sup>5</sup> to give you enhanced video conferencing capabilities and a flexible phone holder to help you stay connected. But that's not all, rest easy knowing that the ThinkVision T27h-30 Monitor comes with eco-friendly paper pulp cushion packaging.

<sup>1</sup> USB Type-C and USB-C are registered trademarks of USB Implementers Forum. | <sup>2</sup> The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. <sup>3</sup> MAPT (Mac Address Pass Through), PXE (Preboot eXecution Environment), WOL (Wake on LAN) - these functions are for compatible PCs only. | <sup>4</sup> This software can only be used with Windows 10 & Windows 11. | <sup>5</sup> ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar (sold separately).

# ThinkVision T27h-30 Monitor

## DISPLAY

**Panel Size**  
27-inch

**Screen Dimensions**  
608.8 mm x 355.1 mm

**Panel Type**  
3-side Borderless In-Plane Switching

**Active Area**  
596.7 mm x 335.7 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
2560 x 1440

**Pixel Pitch**  
0.2331 mm x 0.2331 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
109

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode), 14ms (Off Mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical)**  
350 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB (CIE 1931)

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit

**Anti-Glare**  
Yes

## CONNECTIVITY

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.0  
1 x DP 1.4  
1 x DP Out

**Audio Signal**  
1 x Audio Out (3.5 mm)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> (by USB Type-C<sup>1</sup>)

**USB Downstream**  
4 x USB 3.2 Gen1<sup>2</sup> (1 x BC 1.2)

## SPECIAL FEATURES

**Software**  
Lenovo ThinkColour  
(Lenovo Display Control Center)<sup>3</sup>

**Natural Low Blue Light**  
Yes

**Modular Camera/Speaker Support**  
Yes (Optional Support<sup>4</sup>)

## POWER

**Power Consumption (Typ. / Max.)**  
26W / 148W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>)**  
23W / 71kWh

**Power Supply**  
Internal

**USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>5</sup>**  
Up to 90W

**Smart Power<sup>6</sup>**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## MECHANICAL

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift Range**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 18.0 mm

## DIMENSION

**Size Packed (D x H x W) (mm/inch)**  
525.0 x 148.0 x 690.0 mm  
20.67 x 5.83 x 21.17 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
204.5 x 390.4 x 613.6 mm  
8.05 x 15.37 x 24.16 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
204.5 x 545.4 x 613.6 mm  
8.05 x 21.47 x 24.16 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
50.0 x 363.5 x 613.6 mm  
1.97 x 14.31 x 24.16 inches

**Weight Packed (kg / lb)**  
10.1 kg / 22.3 lbs.

**Weight Unpacked (kg / lb)**  
6.9 kg / 15.2 lbs.

**Weight (Monitor Head Only) (kg / lb)**  
4.8 kg / 10.6 lbs.

## WHAT'S IN THE BOX

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8m)

**DP Cable (Cable Length)**  
1 x DP 1.4 Cable (1.8m) for US, Canada, and Brazil only

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8m)  
1 x USB Type-C<sup>1</sup> to Type-A Cable (1.8m) for US, Canada, and Brazil only

**Quick Setup Guide**  
Yes

## CERTIFICATION

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
Yes

**TCO Edge**  
Yes

**EPEAT**  
Gold

**RoHS (EU 2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**China Energy Efficiency Standard**  
Tier 2

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes



<sup>1</sup> USB Type-C and USB-C are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> This software can only be used with Windows 10 & Windows 11. | <sup>4</sup> Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | <sup>5</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>6</sup> The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.



## ThinkVision T27hv-30 Monitor

# Remote collaborations have never looked and sounded better!

Smarter  
technology  
for all

Microsoft Teams certified VoIP monitor that's made for remote collaborations.

Looking for a monitor that delivers absolutely clear audio and stunning visuals? The ThinkVision T27hv-30 Monitor certified with Microsoft Teams may be the answer for you. VoIP functionality makes remote collaboration on this monitor a breeze. This large size, coupled with the wider viewing angles of the In-Plane Switching panel ensures that your team doesn't have to huddle too close to get a clear view of your display. The monitor's QHD resolution lets you view all your work-related documents and meetings with unparalleled clarity! While the two in-built 5W speakers and VoIP functionality ensure that you're able to hear your colleagues clearly during meetings, the two noise-cancellation microphones ensure that you are heard clearly too! If you need additional room for multitasking, the DP Out port allows you to daisy chain an additional monitor, doubling the available screen size! The ThinkVision T27hv-30 Monitor's Windows Hello Facial Recognition feature makes logging into work a breeze, while the 5MP camera ensures that you always look sharp and crystal clear. If you use several accessories and external storage devices, the availability of four USB 3.2 Gen 1<sup>1</sup> Type-A ports ensures you always have options. Now connect your laptop to the monitor with a single cable, while using the monitor's RJ45 port and DP-out port for connecting to the internet and to additional monitors. Lenovo's new integrated smart sensor works mindfully to elevate your user experience by alerting you if you're sitting too close, reminding you to get up and take a walk frequently, and turning off the screen when you leave. If getting work done is your priority, then the ThinkVision T27hv-30 Monitor will help you get it done sensibly.



## Features of ThinkVision T27hv-30 Monitor



### Gets you to work quickly!

Ultra-fast login is now possible on the ThinkVision T27hv-30 Monitor, using the IR+RGB Camera which supports the Windows Hello Facial Recognition feature. The conveniently-placed hook switch, volume control, and mute button ensure that changing the monitor's settings is extremely easy. Using the Ethernet and USB-C<sup>2</sup> input, you can connect the monitor to the display with a single cable!



### Puts your meetings in focus!

With its dedicated Teams buttons, getting to meetings is easier than ever on this Microsoft Teams certified monitor. The in-built dual 5W speakers produce clear stereo sound so that you never miss a word of what's said in any meeting, while the two ENC microphones ensure that you sound perfectly clear! Additionally, the 5MP camera ensures that you look sharp in all your video meetings.



### Makes you comfortable.

The introduction of the new smart sensor allows the ThinkVision T27hv-30 to really elevate your user experience and even care for your health. The monitor can now alert you when you've been sitting for a long and when you're sitting way too close to the screen. Additionally, it can even turn off the monitor when it senses that you're away, granting you some more privacy.

<sup>1</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>2</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum.

# ThinkVision T27hv-30 Monitor

## Display

- Panel Size**  
27-inch
- Screen Dimensions**  
608.8 mm x 355.3 mm
- Panel Type**  
3-side Borderless In-Plane Switching
- Active Area**  
596.7 mm x 335.7 mm
- Backlight**  
WLED
- Aspect Ratio**  
16:9
- Resolution**  
2560 x 1440
- Pixel Pitch**  
0.233 mm x 0.233 mm
- Dot/Pixel Per Inch (DPI/PPI)**  
109
- Viewing Angle (H x V @ CR 10:1)**  
178° / 178°
- Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)
- Refresh Rate**  
75Hz
- Brightness (Typical)**  
300 cd/m<sup>2</sup>
- Contrast Ratio (Typical)**  
1000:1
- Dynamic Contrast Ratio (Typical)**  
3M:1
- Color Gamut (Coverage Ratio)**  
99% sRGB
- Color Support (Typical)**  
16.7 Million
- Color Depth**  
8-bit
- Anti-glare**  
Yes

## Connectivity

- Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1  
1 x DP 1.4  
1 x DP Out
- Audio Signal**  
1 x Audio Combo (3.5 mm; In/Out)
- USB Hub**  
Yes
- Ethernet**  
Yes (10M/100M/1000M)
- USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-C<sup>1</sup> (90W)
- USB Downstream**  
4 x USB 3.2 Gen 1<sup>2</sup> Type-A

## Multimedia

- Integrated Webcam**  
Yes (2592 x 1944, 5MP, IR+RGB)
- Integrated Microphone**  
Yes
- Integrated Speakers**  
Yes (2 x 5W)

## Special Features

- Software**  
Lenovo ThinkColour (Lenovo Accessories and Display Manager)<sup>3</sup>
- Smart Sensor**  
Yes (Auto Ambient Brightness Sensor, Human Detection Sensor)
- Natural Low Blue Light**  
Yes

## Power

- Power Consumption (Typ. / Max)**  
30.0W / 168.5W
- Power Consumption Sleep/Off Mode**  
< 0.5W
- Power Consumption Switch-Off Mode**  
< 0.3W
- ENERGY STAR Power Consumption (Pon / E<sub>TEC</sub>)**  
21.1W / 69.5kWh
- Power Supply**  
Internal
- USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>4</sup>**  
Up to 90W
- Smart Power**  
Yes
- Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

- Tilt Angle (Front / Back)**  
-5° / 23.5°
- Swivel Angle (Left / Right)**  
-45° / 45°
- Lift (Max. Range)**  
155 mm
- Pivot**  
-90° / 90°
- VESA Mount Capability**  
Yes (100 x 100 mm)
- ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket Mounting Kit III (PN: 4XFIK72399)<sup>5</sup>
- Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)
- Headphone Hook**  
Yes
- Cable Management**  
Yes

- Bezel Color**  
Raven Black

- Bezel Width (Side)**  
2.1 mm
- Bezel Width (Top / Bottom)**  
2.1 / 41.4 mm

## Dimension

- Size Packed (D x H x W) (mm/inch)**  
160.0 x 510.0 x 720.0 mm  
6.30 x 20.08 x 28.35 inches
- Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
204.7 x 584.6 x 613.8 mm  
8.06 x 23.02 x 24.17 inches
- Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
204.7 x 429.6 x 613.8 mm  
8.06 x 16.91 x 24.17 inches
- Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
53.9 x 404.8 x 613.8 mm  
2.12 x 15.94 x 24.17 inches
- Weight Packed (kg / lbs.)**  
10.9 kg / 24.0 lbs
- Weight Unpacked (kg / lbs.)**  
7.9 kg / 17.4 lbs
- Weight (Monitor Head Only) (kg / lbs.)**  
5.7 kg / 12.6 lbs

## What's in the Box

- Monitor with Stand**  
Yes
- Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)
- USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8m)
- Quick Setup Guide**  
Yes

## Certification

- ENERGY STAR Certification**  
Yes
- CCC**  
Yes
- TCO**  
9.0
- TCO Edge**  
2.0
- EPEAT**  
Gold
- Volatile Organic Compound Certification**  
Yes
- RoHS (2011/65/EU)**  
Yes
- Windows Certification**  
Windows 10, Windows 11
- EU Energy Level Certification**  
Yes (Level-F)
- China Energy Efficiency Standard**  
Yes
- Microsoft Teams Certification**  
Yes
- TÜV Rheinland Eye Comfort**  
Yes
- TÜV Rheinland Flicker Free**  
Yes
- TÜV Low Blue Light (Hardware Solution)**  
Yes
- Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>4</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>5</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



# ThinkVision T27p-30



## Brilliantly business-like

### A dominant display for the workplace

While processing power is important, the ability to see your work clearly and in detail is just as important. The right display can make or break your work, especially if you're keeping track of multiple things at once. Data and financial analysts, creative professionals, and developers all depend on having robust displays that display their efforts accurately every time. ThinkVision T27p-30 ticks all those boxes. Made to deliver near-perfect visual experiences, it is also a highly ergonomic device made with the user in mind. It goes above and beyond with a wide range of ports for highly practical connectivity. The incredibly thin bezel on its 3-side NearEdgeless design makes adding multiple monitors a breeze. Its incredible Ultra HD resolution (3840 x 2160), when paired with In-Plane Switching and wide viewing angle delivers impressive visual clarity. Its Natural Low Blue Light Technology paired with TÜV Rheinland Eye Comfort certified technology immensely reduces eye fatigue while displaying without color distortion. Multiple ports such as HDMI 2.0 and Display Port 1.4 make cross-device connectivity as plug-and-play as possible.

Smarter  
technology  
for all


Lenovo

## Features of ThinkVision T27p-30 monitor



### Distraction-free clarity

Most work today is highly visual, regardless of whether it's content creation or not. Data analysts, coders, financial traders, architects – everyone in these occupations – and more besides, need to see what they're doing. The display quality makes a huge difference as well, and in some cases, helps identify and correct errors that could have serious consequences. The ThinkVision T27p-30 offers crystal-clear clarity and 4K resolution (3840 x 2160). In-Plane Switching ensures consistent visual clarity. The narrow bezel design and multiple ports allow connecting multiple monitors for better versatility and more screen space.



### Versatile connectivity

Having a versatile system that handles multiple tasks at once is a blessing. A monitor is a big part of that too, and the right one makes the most complex of tasks a breeze to handle. ThinkVision T27p-30 is armed with a host of ports designed for convenience. The USB-C Gen2 and Display Port allow users to string multiple monitors together. The HDMI 2.0 brings seamless high-definition connectivity to life, and the RJ45 port allows a direct network connection. The audio-out can be used to connect a speaker or headset.



### Considerate design

Long hours in front of a monitor are almost guaranteed, no matter what you do. Employees on average spend at least 6 hours in front of a screen, sometimes more. So, user comfort, both in terms of ergonomics and reduced eye strain is vital. The monitor's Natural Low Blue Light technology and TÜV Rheinland Eye Comfort certified technology care for your eyes without affecting color accuracy. ThinkVision T27p-30 comes with a host of features that provide a comfortable user experience in every way. Its stand rises to 150mm to accommodate different heights and work modes, and a wider 35° tilt. ThinkVision T27p-30 is also incredibly good at using less space. Its smaller base means it can be pushed closer to the edge. The built-in phone rack is a convenient place to always keep your phone in sight – so you never miss a message or call.

# ThinkVision T27p-30

## DISPLAY

**Panel Size**  
27-inch

**Screen Dimensions**  
608.8 mm x 355.3 mm

**Panel Type**  
3-side NearEdgeless In-Plane Switching

**Active Area**  
596.7 mm x 335.7 mm

**Curvature**  
Flat Panel

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
3840 x 2160

**Pixel Pitch**  
0.155 mm x 0.155 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
163 DPI

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
6ms (normal mode)  
4ms (extreme mode)

**Refresh Rate**  
60 Hz

**Brightness (Typical)**  
350 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1300:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Gamut (Color Area Ratio)**  
112% sRGB

**Color Support (Typical)**  
1.07 Billion colors

**Color Depth**  
10 Bit (8 Bit + A-FRC)

**Anti-Glare**  
Yes

## CONNECTIVITY

**Video Signal**  
1 x USB Type-C (DP1.4 32.4 Gbps for 4 lanes Alt mode)  
1 x HDMI 2.0  
1 x DP 1.4

**Audio Signal**  
1 x Audio Out (3.5 mm)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)  
1 x RJ45

**USB Upstream**  
1 x USB3.2 Gen1 Type-C

**USB Downstream**  
3 x USB3.2 Gen1 Type-A  
1 x USB3.2 Gen1 Type-A (1 x BC1.2)

## MULTI-MEDIA

**Modular Camera/Speaker Support**  
Yes (Optional Support\*)

## POWER

**Power Consumption (Typ. / Max)**  
35W / 165W

**Power Consumption (Sleep / OffMode)**  
<0.5W

**Power Consumption (Switch - Off Mode)**  
<0.3W

**EnergyStar® Power Consumption (Pon / E<sup>TEC</sup>)**  
29W / 91kWh

**Power Supply**  
Internal

**USB Type-C (DP Alt Mode) Power Delivery**  
Up to 90W<sup>①</sup>

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60 Hz)

## MECHANICAL

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington™ Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top/Bottom)**  
2.0 mm / 18.0 mm

## DIMENSIONS

**Size Packed (D x H x W) (mm/inch)**  
148.0 x 525.0 x 690.0 mm  
5.83 x 20.67 x 27.17 inches

**Size Unpacked w/stand (D x H x W) (mm/inch) (Highest Position)**  
204.5 x 545.4 x 613.6 mm  
8.05 x 21.47 x 24.16 inches

**Size Unpacked w/stand (D x H x W) (mm/inch) (Lowest Position)**  
204.5 x 390.4 x 613.6 mm  
8.05 x 15.37 x 24.16 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
50.0 x 363.5 x 613.6 mm  
1.97 x 14.31 x 24.16 inches

**Weight Packed (kg / lbs.)**  
10.4 kg / 22.9 lbs.

**Weight Unpacked (kg / lbs.)**  
7.3 kg / 16.2 lbs.

**Unpacked Weight (Monitor Head Only; kg / lbs.)**  
5.3 kg / 11.7 lbs.

## WHAT'S IN THE BOX

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power cable (1.8m)

**DisplayPort Cable (Cable Length)**  
1 x DP cable (1.8m) for  
NA: North America, Brazil & PRC  
Workstation

**HDMI**  
1 X HDMI cable for PRC Standalone only

**USB Cable (Cable Length)**  
1 x USB Type-C to Type-A cable (1.8m)  
for NA: North America & Brazil  
1 x USB Type-C cable (1m)

## CERTIFICATION

**Energy Star®**  
Energy Star® 8.0

**CCC**  
Yes

**TCO**  
TCO 9.0

**TCO Edge**  
TCO Edge 2.0

**EPEAT™**  
EPEAT™ Gold

**RoHS (EU 2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**China Energy Efficiency Standard**  
Tier 2

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Rheinland Low Blue Light (Hardware Solution)**  
Yes

**TÜV Rheinland Flicker Free**  
Yes

**Eyesafe® Display Certifications**  
Yes



<sup>①</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

\*Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar.



# ThinkVision T32h-30 Monitor

## Get fast and fabulous.

Stunning display. Supercharged productivity.

Smarter  
technology  
for all

The ThinkVision T32h-30 Monitor is a digital canvas that supercharges your productivity effortlessly, making your best work look even more stunning and awe-inspiring. Sit back and let your finest work take shape on this generous 31.5-inch In-Plane Switching QHD screen, made even more expansive by a 3-side NearEdgeless design. Work on the finer details effortlessly with the incredible picture quality afforded by its 99% sRGB color gamut that works to give you a visual experience that's rich, sharp, vibrant, and true to life. Manage multiple files side-by-side, compare images and data sheets, switch between windows, and exhibit your work proudly on this wider-than-ever In-Plane Switching screen that affords uniform picture quality irrespective of viewing angle. Want more room to work your magic? Then hook it up in a multi-monitor setup. Can't get your eyes off the monitor because of its dazzling display and your heavy workload? No problem! Your eyes are protected with the ThinkVision T32h-30 Monitor's Natural Low Blue Light technology that cuts out harmful blue light emissions without compromising color fidelity. Connect, share, surf, and supercharge your multimedia experiences with USB Type-C<sup>1</sup>, HDMI, DP, and RJ45 ports. Take it up a notch with the monitor's modular camera and soundbar support for superlative video conferencing quality. Work on the fast lane, plug in, and power up swiftly with the USB-C<sup>1</sup> PD<sup>2</sup> 90W port. Beefed up with a Smart Power function for dynamic power distribution with connected devices, that lowers energy power consumption while boosting performance. You might be tempted to spend long hours in front of a monitor this fast and fabulous but you won't feel the strain on your back and neck as it tilts, swivels, pivots, and lifts to conform to your optimal viewing and seating position. You can also VESA mount the monitor to a wall and save precious desktop space for more important things. If you're particular about being environmentally conscious, then rest easy, because the ThinkVision T32h-30 Monitor adheres to the most stringent TCO 9.0 regulations and comes in green packaging. All-in-all, the ThinkVision T32h-30 Monitor packs in incredible display clarity and rich colors along with all the ports you need to make your work move fast and look fabulous.



## Features of ThinkVision T32h-30 Monitor



### Delightful, thoughtful display

Display your best work on the ThinkVision T32h-30 Monitor's ultra-wide In-Plane Switching screen made even more generous with its distraction-free 3-side NearEdgeless design and multi-monitor support. And if that's not enough to make you gaze at it a little longer, its 2560 x 1440 resolution QHD display gives you rich immersive views with incredible clarity and detail, backed by a 99% sRGB color gamut. The ThinkVision T32h-30 Monitor's Natural Low Blue Light technology reduces harmful blue light, so you don't strain your eyes despite the hours you'll be tempted to spend before it.



### Connect to some superpowers

Speed and connectivity will be your allies with the ThinkVision T32h-30 Monitor's wide range of connectivity options. The monitor's USB Type-C<sup>1</sup>, the one-cable solution helps you transfer data in a flash. It also performs as a fast charger with 90W support and a Smart Power function that dynamically manages the energy consumed across connected devices. Supercharge your connectivity options with the monitor's HDMI 2.1<sup>3</sup>, dedicated DP 1.4, and RJ45 ports. Supersize your video conferencing and multimedia experiences with the ThinkVision T32h-30 Monitor's modular camera and soundbar support.



### Put your mind and body at ease

ThinkVision T32h-30 Monitor is designed to put you at ease. Its ergonomic stand is highly adjustable and offers an increased lift range so you can lift, tilt, swivel, and pivot the monitor to meet your most comfortable working posture. Add to that an optimal lowest position that is designed to make every user feel comfortable. You can also VESA mount the monitor to keep your desk clutter-free. If you're environmentally conscious this monitor will put your mind at ease too, as it stays up-to-date with the latest TCO 9.0 regulations that meet stringent ecological standards. The ThinkVision T32h-30 Monitor is enveloped in green packaging that is easy on the environment too.

<sup>1</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum. | <sup>2</sup> Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>3</sup> Supports 2560 x 1440 @ 60Hz as specified in HDMI 2.1.

# ThinkVision T32h-30 Monitor

## Display

### Panel Size

31.5-inch

### Screen Dimensions

709.4 mm x 412.0 mm

### Panel Type

3-side NearEdgeless  
In-Plane Switching

### Active Area

698.1 mm x 392.7 mm

### Backlight

WLED

### Aspect Ratio

16:9

### Resolution

2560 x 1440

### Pixel Pitch

0.273 mm x 0.273 mm

### Dot/Pixel Per Inch (DPI/PPI)

93

### Viewing Angle (H x V @ CR 10:1)

178° / 178°

### Response Time

4ms (Extreme Mode),  
6ms (Normal Mode)

### Refresh Rate

60Hz

### Brightness (Typical)

350 cd/m<sup>2</sup>

### Contrast Ratio (Typical)

1000:1

### Dynamic Contrast Ratio (Typical)

3M:1

### Color Gamut (Coverage Ratio)

99% sRGB

### Color Gamut (Color Area Ratio)

130% sRGB

### Color Support (Typical)

1.07 Billion

### Color Depth

10-bit (8+FRC)

### Anti-Glare

Yes

## Connectivity

### Video Signal

1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1<sup>2</sup>  
1 x DP 1.4 (HBR2)

### Audio Signal

1 x Audio Out (3.5 mm)

### USB Hub

Yes

### Ethernet

Yes (10M/100M/1000M)

### USB Upstream

1 x USB 3.2 Gen 1<sup>3</sup> Type-C<sup>1</sup>

### USB Downstream

4 x USB 3.2 Gen 1<sup>3</sup> Type-A (1 x BC1.2)

## Multimedia

### Modular Camera/Speaker Support

Yes (Optional Support<sup>4</sup>)

## Special Features

### Software

Lenovo ThinkColour  
(Lenovo Accessories and  
Display Manager)<sup>5</sup>

### Natural Low Blue Light

Yes

## Power

### Power Consumption (Typ. / Max.)

32.0W / 153.0W

### Power Consumption Sleep/Off Mode

< 0.5W

### Power Consumption Switch-Off Mode

< 0.3W

### ENERGY STAR Power Consumption (Pon/E<sub>TEC</sub>)

26.0W / 82.6kWh

### Power Supply

Internal

### USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>6</sup>

Up to 90.0W

### Smart Power

Yes

### Voltage Required

AC 100 to 240 V (50-60Hz)

## Mechanical

### Tilt Angle (Front / Back)

-5° / 23.5°

### Swivel Angle (Left / Right)

-45° / 45°

### Lift (Max. Range)

155 mm

### Pivot

-90° / 90°

### VESA Mount Capability

Yes (100 x 100 mm)

### ThinkCentre M Series Tiny Support

Yes, by Tiny Clamp Bracket  
Mounting Kit III (PN: 4XF1K72399)<sup>7</sup>

### Kensington Lock Slot

Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

### Cable Management

Yes

### Bezel Color

Raven Black

### Bezel Width (Side)

2.0 mm

### Bezel Width (Top / Bottom)

2.0 / 18.6 mm

## Dimension

### Size Packed

(D x H x W) (mm/inch)  
525.0 x 148.0 x 950.0 mm  
20.67 x 5.83 x 37.40 inches

### Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)

234.9 x 599.5 x 714.2 mm  
9.25 x 23.60 x 28.12 inches

### Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)

234.9 x 444.5 x 714.2 mm  
9.25 x 17.50 x 28.12 inches

### Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)

59.5 x 420.9 x 714.2 mm  
2.34 x 16.57 x 28.12 inches

### Weight Packed (kg / lbs.)

14.0 kg / 30.9 lbs.

### Weight Unpacked (kg / lbs.)

9.9 kg / 21.8 lbs.

### Weight (Monitor Head Only) (kg / lbs.)

7.2 kg / 15.9 lbs.

## What's in the Box

### Monitor with Stand

Yes

### Power Cable (Cable Length)

1 x Power Cable (1.8 m)

### USB Cable (Cable Length)

1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8 m)

### Quick Setup Guide

Yes

### Warranty Booklet

Yes

## Certification

### ENERGY STAR Certification

Yes

### CCC

Yes

### TCO

9.0

### TCO Edge

2.0

### EPEAT

Gold

### Volatile Organic Compound Certification

Yes

### RoHS (2011/65/EU)

Yes

### Windows Certification

Windows 10, Windows 11

### China Energy Efficiency Standard

Tier 1

### TÜV Rheinland Eye Comfort

Yes

### TÜV Low Blue Light (Hardware Solution)

Yes

### Eyesafe Display Certification

Yes (Eyesafe 2.0)



<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Supports 2560 x 1440 @ 60Hz as specified in HDMI 2.1. | <sup>3</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>4</sup> Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | <sup>5</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>6</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>7</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo




## ThinkVision T32p-30 Monitor

A clear expansive view made for excellence.


Smarter technology for all

The finer details for your finest work!

The ThinkVision T32p-30 Monitor magnifies the finer details with incredible clarity to catapult productivity in the modern workplace. Enjoy a wider vista with this vast 31.5-inch, 4K resolution display for exceptional picture clarity that refines every single detail. Its In-Plane Switching ensures screen consistency so your view is clear no matter which angle you view it from, while its 3-side NearEdgeless display gives you a clear, distraction-free viewing experience. The screen delivers supremely sharp image quality backed by a 100% sRGB color gamut promising incredibly rich and vibrant colors that look truly natural. The ThinkVision T32p-30 is easily the best monitor for data-intensive work which makes navigating and viewing large spreadsheets, image-loaded dashboards, and content editing a breeze. Great for multitasking, this wide monitor lets you get more done at a glance, allowing you the flexibility to switch between multiple documents and view more, effortlessly. If you need to make room for more information, it also allows for multi-screen installations. While the dazzling image quality will keep your eyes drawn to the screen, the monitor's Natural Low Blue Light technology reduces harmful blue light without compromising colors, to protect your eyes. Connect to multiple interfaces, share and receive content faster with USB Type-C<sup>1</sup>, HDMI, DP, RJ45, and audio out ports that provide multiple interface options. Speed works up like never before with the USB-C<sup>1</sup> PD port that supports 90W superfast charging and comes with a Smart Power function for intelligent power distribution to connected devices. It also reduces power consumption while maximizing performance. Easily tilt, swivel, lift, pivot, and VESA mount the monitor to optimize its setup for the most comfortable working posture. Thoughtfully designed, this monitor adheres to strict TCO 9.0 regulations that weigh less on the environment. The ThinkVision T32p-30 Monitor is large enough for you to view more and do more with every glance.



## Features of ThinkVision T32p-30 Monitor



### Sleek, superlative display.

The ThinkVision T32p-30 Monitor sports an expansive 31.5-inch ultra-wide In-Plane Switching display with 3840 x 2160 UHD resolution that not only expands your point of view but allows you to micro-focus on finer details to enhance work efficiency. Add a modern aesthetic to any working environment with its 3-side NearEdgeless design and experience a seamless viewing landscape across different screens in a multi-monitor setup. The ThinkVision T32p-30 Monitor is easy on the eyes in more ways than one, as it cares for your vision by reducing harmful blue light with Natural Low Blue Light technology. It produces distortion-free colors so you can enjoy hours of productivity without feeling the eye strain.

### Multiply connectivity, maximize productivity.

The ThinkVision T32p-30 Monitor's one-cable solution USB Type-C<sup>1</sup> allows for incredibly fast data transfer speeds so you can accelerate productivity. The USB Type-C<sup>1</sup> cable can also serve as fast charger with 90W support and dynamically manages the power consumption of connected devices with a special Smart Power function. Add to that, HDMI 2.1<sup>2</sup> and dedicated DP 1.4 ports that turns your monitor into a supercharged hub of connectivity and productivity. Do more with an RJ45 port that turns this monitor into a surfing superstar. With a dedicated USB Type-A port at top, it is compatible with Modular VoIP Solution<sup>3</sup> that can bring alive more possibilities for video conferencing and multimedia experiences.

### Easy on the environment and you.

The ThinkVision T32p-30 Monitor is thoughtfully designed to make your comfort a priority. Adopt the perfect working posture for your body with its highly adjustable ergonomic stand that supports easy pivots, tilts, swivels, and lifts to meet your needs. The lowest position of the monitor is designed to conform to an optimal seating and viewing posture. A 100 x 100 mm VESA mount allows the monitor to be used with compatible third-party mounts and stands. The ThinkVision T32p-30 Monitor is TCO 9.0 certified and comes boxed in green pulp packaging that protects the display and the environment too.

<sup>1</sup> USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. | <sup>2</sup> Supports 3840 x 2160 @ 60Hz as specified in HDMI 2.1. | <sup>3</sup> ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar sold separately.

# ThinkVision T32p-30 Monitor

## Display

**Panel Size**  
31.5-inch

**Screen Dimensions**  
709.4 mm x 412.0 mm

**Panel Type**  
3-side NearEdgeless,  
In-Plane Switching

**Active Area**  
697.3 mm x 392.2 mm

**Backlight**  
WLED

**Aspect Ratio**  
16:9

**Resolution**  
3840 x 2160

**Pixel Pitch**  
0.182 mm x 0.182 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
140

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60Hz

**Brightness (Typical)**  
350 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
1000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
100% sRGB, 95% DCI-P3 (CIE 1976)

**Color Support (Typical)**  
1.07 Billion

**Color Depth**  
10-bit (8+FRC)

**Anti-Glare**  
Yes

## Connectivity

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.1<sup>2</sup>  
1 x DP 1.4 (HBR2)

**Audio Signal**  
1 x Audio Out (3.5 mm)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
2 x USB 3.2 Gen 1<sup>3</sup> (1 by USB Type-C<sup>1</sup>,  
1 by USB Type-B)

**USB Downstream**  
4 x USB 3.2 Gen 1<sup>3</sup> Type-A (1 x BC1.2)

## Special Features

**PIP/PBP**  
Yes

**KVM Switch**  
Yes

**Software**  
Lenovo ThinkColour (Lenovo Accessories  
and Display Manager)<sup>4</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
32.0W / 161.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption  
(Pon/E<sub>TEC</sub>)**  
32.0W / 99.0kWh

**Power Supply**  
Internal

**USB Type-C1 (DP Alt Mode) Power  
Delivery<sup>5</sup>**  
Up to 90.0W

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max. Range)**  
155 mm

**Pivot**  
-90° / 90°

**VESA Mount Capability**  
Yes (100 x 100 mm)

**ThinkCentre M Series Tiny Support**  
Yes, by Tiny Clamp Bracket  
Mounting Kit III (PN: 4XF1K72399)<sup>6</sup>

**Kensington Lock Slot**  
Yes (2.5 mm x 6 mm and 3 mm x 7 mm)

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.0 mm

**Bezel Width (Top / Bottom)**  
2.0 / 18.6 mm

## Dimension

**Size Unpacked w/ Stand (Lowest Position)  
(D x H x W) (mm/inch)**  
525.0 x 148.0 x 950.0 mm  
20.67 x 5.83 x 37.40 inches

**Size Unpacked w/ Stand (Highest Position)  
(D x H x W) (mm/inch)**  
234.9 x 599.5 x 714.2 mm  
9.25 x 23.60 x 28.12 inches

**Size Unpacked w/ Stand (Lowest Position)  
(D x H x W) (mm/inch)**  
234.9 x 444.5 x 714.2 mm  
9.25 x 17.50 x 28.12 inches

**Size Unpacked w/o Stand (Head Only)  
(D x H x W) (mm/inch)**  
59.5 x 420.9 x 714.2 mm  
2.34 x 16.57 x 28.12 inches

**Weight Packed (kg / lb)**  
14.0 kg / 30.9 lbs.

**Weight Unpacked (kg / lb)**  
10.0 kg / 22.0 lbs.

**Weight (Monitor Head Only) (kg / lb)**  
7.2 kg / 15.9 lbs.

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8 m)

**Quick Setup Guide**  
Yes

**Warranty Booklet**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes (Eyesafe 2.0)



\* A few specs may vary depending upon the actual production.

<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Supports 3840 x 2160 @ 60Hz as specified in HDMI 2.1. | <sup>3</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>4</sup> Formerly Lenovo Display Control Center. Supports Windows 10 & 11, Mac OS, Windows On Arm (functions vary across systems). | <sup>5</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>6</sup> Sold separately.

© 2023 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others. Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo



## ThinkVision T34w-30 Monitor

Smarter  
technology  
for all

# A wide curve for multitasking mastery.

A wider view for enhanced productivity.

Get ready to take your efficiency to the next level with the ThinkVision T34w-30 Monitor's 3-side NearEdgeless, immersive 34-inch WQHD curved display that draws you in, while its 3440 x 1440 resolution lets you take in all the finer details. A 21:9 aspect ratio delivers a panoramic experience, while a 1500R curvature delivers a consistent focal length across the screen. The large screen real-estate and curvature make sharing finer details with your teams easy and improves your focus and productivity as well. The monitor is a treat for the eyes with rich, vivid colors brought to life by a 99% sRGB color gamut. It cares for your vision too with Natural Low Blue Light technology that reduces harmful blue light emissions without color distortions. The ThinkVision T34w-30 Monitor is designed for efficiency with a host of connectivity options including a USB Type-C<sup>1</sup> (up to 75W PD<sup>2</sup>), HDMI and DP ports, modular VoIP support for a video conferencing or audio with AI-enhanced MC60 and MS30 ports, and efficient network management with MAPT, PXE, and WOL (S3-S5). The ThinkColour software solution that can be easily deployed by Endpoint<sup>3</sup> allows users quick control of display attributes, to help maximize productivity. The monitor's enhanced lift range gives it more flexibility to meet the working posture you find most comfortable. The lowest position gets lower to give you even more viewing comfort. It accommodates an open-slot phone holder that also supports tablets of different sizes to put all your screens within view, while cleaner cable management adds to a clutter-free desk. If you're looking for a cleaner desk, you can VESA mount this monitor too. The monitor's one-button joystick for quick access to display controls puts accessibility at your fingertips. You'll be pleased to know that the ThinkVision T34w-30 Monitor meets the ecological and health standards of TCO 9.0 regulations and comes packed in recyclable paper cushioning that's safe for the environment too.

## Features of ThinkVision T34w-30 Monitor




### Sharp, immersive display

The ThinkVision T34w-30 Monitor's 3-side NearEdgeless bezel design with an immersive 34-inch WQHD curved display envelopes your attention and focus with a larger-than-life clarity for efficient multitasking. Its captivating 3440 x 1440 resolution enriches picture quality and lets you in on all the finer details, backed by a 99% sRGB color gamut that displays brilliant, true-to-life colors. A 21:9 aspect ratio gives you rich panoramic views, while a 1500R curvature displays a consistent focal length across the screen. Natural Low Blue Light technology curbs harmful blue light emissions without color distortions and reduces visual fatigue and strain making your viewing experience as delightful and comfortable as it can be.

### Productivity par excellence

Make your workstation a hub of productivity with a range of connectivity options that make the ThinkVision T34w-30 Monitor quick and efficient. Connect and power-up swiftly and efficiently with the one-cable USB-C<sup>1</sup> up-to 75W PD<sup>2</sup> port that enables dynamic power distribution with connected devices. Network connectivity becomes faster, more stable and safer too with ethernet support that includes MAPT, PXE, and WOL (S3-S5). Dedicated HDMI and DP ports let you connect efficiently. The ThinkColour software solution that can be easily deployed by Endpoint<sup>3</sup> ensures you get quick control of display attributes, accurate and easy color settings, simple management between multiple files, documents and media, and smarter technology to maximize productivity. A dedicated and cableless USB Type-A port at the top facilitates a modular VoIP solution - ThinkVision VoIP Stack<sup>4</sup> (MC60 Monitor Webcam, MS30 Monitor Soundbar) enables incredible video conferencing experiences.



### Ergonomically and environmentally advanced

Enhanced ergonomics make working on the ThinkVision T34w-30 Monitor delightfully comforting. It also comes with enhanced ergonomic features, including up to 155 mm height adjustability, -5°/23.5° tilt range, and -45°/45° swivel angle, so you can work the way you feel comfortable, without compromise. An open phone slot, tablet holder, and cleaner cable management provisions give you a clutter-free desk. A simple one-button joystick puts control at your fingertips with easy access to display settings. The ThinkVision T34w-30 is also serious about sustainability as it is designed to meet the TCO 9.0 ecological and health standards. What's more, it is delivered in recyclable green paper packaging making it as environmentally friendly as it is user-friendly.

<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>3</sup> Endpoint: Microsoft Endpoint Configuration Manager. | <sup>4</sup> Sold separately.

# ThinkVision T34w-30 Monitor

## Display

**Panel Size**  
34-inch

**Screen Dimensions**  
803.2 mm x 357.9 mm

**Panel Type**  
3-side NearEdgeless, VA

**Active Area**  
792.2 mm x 333.7 mm

**Curvature**  
1500R

**Backlight**  
WLED

**Aspect Ratio**  
21:9

**Resolution**  
3440 x 1440

**Pixel Pitch**  
0.232 mm x 0.232 mm

**Dot/Pixel Per Inch (DPI/PPI)**  
110

**Viewing Angle (H x V @ CR 10:1)**  
178° / 178°

**Response Time**  
4ms (Extreme Mode),  
6ms (Normal Mode)

**Refresh Rate**  
60Hz

**Brightness (Typical)**  
350 cd/m<sup>2</sup>

**Contrast Ratio (Typical)**  
3000:1

**Dynamic Contrast Ratio (Typical)**  
3M:1

**Color Gamut (Coverage Ratio)**  
99% sRGB

**Color Support (Typical)**  
16.7 Million

**Color Depth**  
8-bit

**Anti-Glare**  
Yes

## Connectivity

**Video Signal**  
1 x USB Type-C<sup>1</sup> (DP 1.4 Alt Mode)  
1 x HDMI 2.0  
1 x DP 1.4 (HBR2)

**Audio Signal**  
1 x Audio Out (3.5 mm)

**USB Hub**  
Yes

**Ethernet**  
Yes (10M/100M/1000M)

**USB Upstream**  
1 x USB 3.2 Gen 1<sup>2</sup> Type-C<sup>1</sup>

**USB Downstream**  
4 x USB 3.2 Gen 1<sup>2</sup> Type-A (1 x BC1.2)

## Multimedia

**Modular Camera/Speaker Support**  
Yes (Optional Support<sup>3</sup>)

## Special Features

**Software**  
Lenovo ThinkColour  
(Lenovo Display Control Center)<sup>4</sup>

**Natural Low Blue Light**  
Yes

## Power

**Power Consumption (Typ. / Max)**  
31.0W / 130.0W

**Power Consumption Sleep/Off Mode**  
< 0.5W

**Power Consumption Switch-Off Mode**  
< 0.3W

**ENERGY STAR Power Consumption (Pon/E<sub>REC</sub>)**  
30.0W / 93.0kWh

**Power Supply**  
Internal

**USB Type-C<sup>1</sup> (DP Alt Mode) Power Delivery<sup>5</sup>**  
Up to 75W

**Smart Power**  
Yes

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

## Mechanical

**Tilt Angle (Front / Back)**  
-5° / 23.5°

**Swivel Angle (Left / Right)**  
-45° / 45°

**Lift (Max Range)**  
155 mm

**VESA Mount Capability**  
Yes (100 x 100 mm)

**Kensington Lock Slot**  
Yes

**Cable Management**  
Yes

**Bezel Color**  
Raven Black

**Bezel Width (Side)**  
2.1 mm

**Bezel Width (Top / Bottom)**  
2.1 / 22.8 mm

## Dimension

**Size Packed (D x H x W) (mm/inch)**  
525.0 x 187.0 x 1070.0 mm  
20.67 x 7.36 x 42.13 inches

**Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)**  
231.6 x 569.3 x 808.4 mm  
9.12 x 22.41 x 31.83 inches

**Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)**  
231.6 x 414.3 x 808.4 mm  
9.12 x 16.31 x 31.83 inches

**Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)**  
110.1 x 367.5 x 808.4 mm  
4.33 x 14.47 x 31.83 inches

**Weight Packed (kg / lb)**  
14.8 kg / 32.6 lbs

**Weight Unpacked (kg / lb)**  
9.5 kg / 20.9 lbs

**Weight (Monitor Head Only) (kg / lb)**  
7.0 kg / 15.4 lbs

## What's in the Box

**Monitor with Stand**  
Yes

**Power Cable (Cable Length)**  
1 x Power Cable (1.8 m)

**DP Cable (Cable Length)**  
1 x DP Cable (1.8 m) for PRC WS<sup>6</sup>

**USB Cable (Cable Length)**  
1 x USB Type-C<sup>1</sup> to Type-C<sup>1</sup> Cable (1.8 m)

**Quick Setup Guide**  
Yes

**Warranty Booklet**  
Yes

## Certification

**ENERGY STAR Certification**  
Yes

**CCC**  
Yes

**TCO**  
9.0

**TCO Edge**  
2.0

**EPEAT**  
Gold

**Volatile Organic Compound Certification**  
Yes

**RoHS (2011/65/EU)**  
Yes

**Windows Certification**  
Windows 10, Windows 11

**China Energy Efficiency Standard**  
Tier 1

**TÜV Rheinland Eye Comfort**  
Yes

**TÜV Low Blue Light (Hardware Solution)**  
Yes

**Eyesafe Display Certification**  
Yes



\* A few specs may vary depending upon the actual production.

<sup>1</sup> USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. | <sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | <sup>3</sup> Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | <sup>4</sup> This software can only be used with Windows 10 & Windows 11. | <sup>5</sup> Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | <sup>6</sup> Workstations.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter  
technology  
for all

Lenovo